

JOINT EVENT

2nd World Congress on **Wind and Renewable Energy**
&
5th World Congress and Expo on **Green Energy**

June 14-16, 2018 | London, UK

A new facile route to flexible and transparent electrodes based on water exfoliated graphene and their triboelectric nanogenerator

Dong Wook Shin, Matthew D Barnes, Kieran Walsh, Dimitar Dimov, Ana I S, Neves C David Wright, Saverio Russo and Monica F Craciun
University of Exeter, UK

Wearable technologies are driving current research efforts to self-powered electronics for which novel high-performance materials such as graphene and low-cost fabrication processes are highly sought. We demonstrate the integration of high-quality graphene films obtained from scalable water processing approaches in emerging applications for flexible and wearable electronics. We developed a novel method for the assembly of shear exfoliated graphene in water, comprising a direct transfer process assisted by isopropyl alcohol evaporation. We demonstrate that graphene films can be easily transferred to any target substrate such as paper, flexible polymeric sheets and fibres, glass and Si substrates. By combining graphene as electrode and polydimethylsiloxane as active layer we demonstrate for the first time a flexible and transparent triboelectric nanogenerator for harvesting energy. Our results constitute a new step towards the realization of energy harvesting devices that could be integrated with a wide range of wearable and flexible technologies and opens new possibilities for the use of triboelectric nanogenerators in many applications such as electronic skin and wearable electronics.

Biography

Dong Wook Shin has completed his PhD from Sungkyunkwan University (SKKU), Republic of South Korea in 2014 and Postdoctoral studies from SKKU Advanced Institute of Nano Technology (SAINT). He is an Associate Research Fellow in College of Engineering, Mathematics and Physical Sciences, University of Exeter, UK. He has authored over 35 international peer reviewed journal articles, which have been cited more than 600 times (Web of Science) and has an h-index of 13 to date.

D.Shin@exeter.ac.uk

Notes: