conferenceseries.com

8TH GLOBAL PHARMACOVIGILANCE & DRUG SAFETY SUMMIT JULY 06-07, 2017 KUALA LUMPUR, MALAYSIA

Multifaceted role of gamma-Tocotrienol in cancer therapy

Gautam Sethi National University of Singapore, Singapore

Gamma-Tocotrienol, a member of Vitamin E super-family has attracted great attention of late for its anti-proliferative and Ganti-carcinogenic potential against different cancers. For example, our group has recently reported that anti-proliferative and chemo-sensitizing effects of Gamma-tocotrienol are associated with its ability to suppress activation of signal transducers and activator of transcription 3 (STAT3), a pro-inflammatory transcription factor that plays a pivotal role in the survival, proliferation, angiogenesis and chemo-resistance of hepatocellular carcinoma. However, the potential of gamma-tocotrienol to overcome chemo-resistance in gastric cancer, which is one of the deadliest cancers in Asia-pacific region, has never been explored before. Hence, we investigated the efficacy of Gamma-tocotrienol also inhibited expression of various oncogenic proteins, induced PARP cleavage and inhibited NF-κB activation in gastric cancer cells. *In vivo* studies using xenograft model of human gastric cancer demonstrated that gamma-tocotrienol alone suppressed tumor growth and this effect was further potentiated in conjunction with capecitabine. As compared to the vehicle control, gamma-tocotrienol further suppressed the NF-κB activation and expression of cyclin D1, COX-2, ICAM-1, MMP-9 and survivin in tumor tissues obtained from treatment groups. Additionally we noted, that gamma tocotrienol can function as a potent inhibitor of angigogenesis in both HUVEC and HCC cells. Overall our results suggest for the first time that gamma-tocotrienol can potentiate the effects of chemotherapy through modulation of multiple biomarkers of proliferation and angiogenesis in diverse cancers.

gautam_sethi@nuhs.edu.sg