

Open Access

Assisted Reproductive Technology after the birth of Louise Brown

Remah MA Kamel*

Obstetrics and Gynaecology, Faculty of Medicine and Dentistry, University of Bristol, UK

Abstract

Background: Public interest in Assisted Reproductive Technology (ART) has remained high since the birth of the world's first *in-vitro* fertilization baby, Louise Brown, in the United Kingdom. ART allows scientists to manipulate the fertilization process in order to bypass some pathological obstacles such as blocked fallopian tubes and non-functioning ovaries in the females, and blocked vas deferens and low sperm count in the males.

Objectives: To provide a historical outline and identify the researches that most contributed to the ART.

Methods: A review of published experimental and clinical studies of assisted reproduction carried out at the University of Bristol library website (MetaLib[®]). A cross-search of seven different medical databases; (AMED-Allied and Complementary Medicine Database, BIOSIS Previews on Web of Knowledge, Cochrane Library, Embase, and the Medline on Web of Knowledge, OvidSP and PubMed) completed by using the key words to explore the major milestones and progress in the development and implementation of ART.

Results: A speedy advancement in the development of different assisted reproductive techniques makes infertility problem more treatable than it ever had been.

Conclusion: Although no other field in the medicine has integrated new knowledge into the daily practice more quickly than ART yet, there is a need for social research to counterbalance the dominance of biomedical one, in particular the people's actual experiences and expectations of the ART.

Keywords: Infertility management; History/Milestones/ Timelines of Assisted reproductive technology; Louise brown

Introduction

The beginning of In-Vitro Fertilization (IVF) was an inspiring event. Lesley Brown and her husband John, from Bristol city in the United Kingdom have failed to conceive naturally throughout nine years of their continuous marriage. Lesley Brown has bilateral tubal blocks. Bilateral salpingostomy has done without success. In 1976, she referred to Dr. Patrick Christopher Steptoe, a gynaecologist in the Oldham general hospital, Manchester city, United Kingdom. He has advised her to try a new experimental technique to bypass her tubal blockage. Accordingly, Lesley underwent a laparoscopic oocyte retrieval during a natural non- stimulated ovulatory cycle. Mr. Robert Geoffrey Edwards, a British physiologist, used her husband's sperms to fertilize the retrieved oocyte in the lab. A few days later, an 8-cell stage embryo placed inside Lesley's uterine cavity. At 11.47 PM on July 25th 1978, Louise Brown was delivered by an elective caesarean section at Oldham hospital by the registrar John Webster at gestational age of 38 weeks and 5 days due to coincidence of maternal pre-eclampsia. Louise was healthy at birth and her weight was 5 pounds and 12 ounces (2700 grams). By the birth of Louise Brown, the world celebrated the start of a new era of assisted human reproductive technology.

Early Attempts

The history of IVF dates back as early as the 1890's when Walter Heape, a professor at the University of Cambridge, UK, reported the first known case of embryo transplantation in rabbits. In 1932, Aldous Huxley described the technique of IVF in his science fiction novel "Brave New World". In 1934, Gregory Pincus mixed rabbit's eggs and sperms in the glass top of his watch and implanted the developing embryo in a surrogate rabbit. Fourteen years later, in 1948, Miriam Menken and John Rock retrieved more than 800 oocytes from women. However, it was not until 1959 that Min Chueh Chang, a young Chinese reproductive investigator, obtained indubitable evidence of *in-vitro* fertilization by achieving for the first time live births from a white rabbit by using eggs and sperms from black ones. The first human IVF pregnancy was on 1973 reported by Professors Carl Wood and John Leeton in Melbourne, Australia. Unfortunately, it ended in an early embryo death (less than one week) [1]. On 1976, *Patrick Steptoe* and Robert Edwards published a report on an ectopic pregnancy following a transfer of a human embryo at its late morula stage [2].

ART Progress

The birth of Louise Brown on July 25th 1978 was followed by the birth of Courtney Cross on October 16th 1978 and Alastair MacDonald on January 14th 1979, the world's first three IVF babies. Since then, IVF has become a common procedure with a record of more than 5 million births worldwide [3]. The years followed have brought rapid progress that allowed more infertile couples to have their own genetic babies [4].

Back to the year 1978 (Figure 1), Alex Lopata, in Melboure city, Australia described the first ovarian cycles stimulated with clomiphene citrate [5].


On 1979, Alastair MacDonald, the world's third IVF baby (*also considered as the world's first IVF male baby*) born on January 14th. Cohen et al. in France started tracing the growth of the graffian follicles by using pelvic ultrasonography [6]. Their sonographic findings were correlated with the laparoscopic observations. They further indicated that the diameter of the graffian follicles, as measured by ultrasound, is a better predictor of follicular maturation relative to the serum

*Corresponding author: Remah MA Kamel, Department of Obstetrics and Gynaecology, Faculty of Medicine and Dentistry, University of Bristol, UK, E-mail: remahmoustafa@hotmail.com

Received July 05, 2013; Accepted July 18, 2013; Published July 22, 2013

Citation: Kamel RMA (2013) Assisted Reproductive Technology after the birth of Louise Brown. Gynecol Obstet 3: 156. doi:10.4172/2161-0932.1000156

Copyright: © 2013 Kamel RMA. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



Oestradiol levels alone (on day 8th of the cycle E_2 level should be \ge 300 picograms).

On 1980, the Melbourne IVF-team led by Alan Trounson succeeded to get the Australian first IVF baby (*the world's fourth IVF baby*) a female called Candice Elizabeth Reed. On the same year, the first American IVF clinic opened in Virginia, United States [6]. The WHO published the "Laboratory manual for the examination of human semen and semen-cervical mucus interaction" to standardize semen analysis [7]. Alan Handyside, in the United Kingdom, introduced a Pre-implantation Genetic Diagnosis (PGD) to identify genetically abnormal embryos by cell biopsy [7].

On 1981, Howard and Georgianna Jones announced the delivery of the first American IVF baby, Elizabeth Jordan Carr in Virginia after ovarian stimulation by human Menopausal Gonadotrophin (hMG), while Samantha Steel was the first IVF baby born to American parents in England on the same year [6]. Clomiphene Citrate (CC) and human Menopausal Gonadotrophin (hMG) introduced in the IVF treatment protocols by Alan Trounson and John Leeton in Australia [7]. In stimulated ovarian cycles; the number of mature oocytes retrieved increased and by the administration of human Chorionic Gonadotrophin (hCG) identification of the exact timing of ovulation (±36 hours later) and oocyte collection attained. Moreover, Alan Trounson noticed that a delay between oocyte collection and insemination allows the immature oocytes collected to complete its meiotic maturation in the culture media [8,9]. The Clamart's IVF working group in France, led by Jacques Testar, developed a luteinizing hormone-Surge Initiating Rise (LH-SIR) assay that could detect the LH-surge at its initial rise (not at its peak) in human plasma for an accurate prediction of ovulation and best timing for oocytes retrieval [6,10].

On 1982, the first IVF twins, Taylor and Freddie Axton, were born at Queen Elizabeth hospital in King's Lynn, United Kingdom. The

first French IVF babies were born on the same year as; Amandine, at Clamart in February followed by Alexia at Hopital Sevres in June [6]. The first Swedish IVF birth was born in Gothenburg [11]. The world's first delivery after intrauterine insemination (IUI) and the first frozen embryo twins born in Australia on 1982 [6]. On April 16th at the University Hospital in Erlangen, Oliver, the Germany's first testtube baby was born by caesarean section; while Zlatan Jovanovic was the first IVF baby born in Vienna's AKH hospital in Austria. Culture media for growing embryos started to be used [12]. Richard Fleming was the first who demonstrated that gonadotrophin releasing hormone (GnRH) agonists could be used to eliminate premature luteinization of the graffian follicles and control the process of ovarian stimulation [13]. Danish gynaecologists, Susan Lenz and Jorgen G Lauritsen, demonstrated how to use the ultrasound as a guide for trans-abdominal trans-vesical oocyte aspiration [14].

On 1983, Alan Trounson's working group in Australia has succeeded to achieve the first pregnancy in a woman with bilateral oophorectomy by using donor oocytes and in infertile woman with primary ovarian failure by using donor embryo [15,16]. The Monash IVF team in Australia has reported a successful pregnancy of the first frozen embryo [17]. On the same year, introduction of *In-Vitro* Maturation (IVM) to fertilize immature oocytes started [18]. Gleicher et al. reported the early use of vaginal route oocytes retrieval via culdocentesis by the aid of transabdominal ultrasonography [19]. Robert Casper et al. were the first to describe the use of low dose Human Chorionic Gonadotrophin (hCG) to support the luteal phase in assisted ovarian cycles [20]. The first report on the Canadian IVF baby, Robert John Saunders Reid, wrote by the working group of Victor Gomel at the University of British Columbia. On the same year, the world's first IVF triplets reported by Christopher Chen.

On 1984, the world's first IVF quadruplets were born on January 6th at the Royal Women's Hospital, in Melbourne, Australia. On March 28th, the birth of the world's first frozen embryo, Zoe Leyland, was a


Page 2 of 9

breakthrough in the ART history. This baby delivered by caesarean section at the Queen Victoria Medical Centre in Melbourne, Australia by Alan Trounson and Carl Wood [6]. During the year 1984, the first legislation to regulate the IVF and human embryo research in the Australia by Government of Victoria; the Infertility (*Medical Procedures*) Act 1984, was produced [6,21]. The first surrogacy embryo transfer was born in California, USA, while the first reported pregnancy following trans-laparoscopic Gamete Intrafallopian Transfer (GIFT) has described by the endocrinologist Ricardo Asch [6,22]. The first pregnancy following IVF and oocyte donation in a women with primary ovarian failure was succeeded [23]. The early trans-vaginal oocyte retrieval introduced by Schulman et al. in Strasbourg, France [24]. The first two pregnancies following the transfer of intact frozen-thawed embryos were successful [25].

On 1985, the first pregnancy achieved by IVF using Percutaneous Epididymal Sperm Aspiration (PESA) was succeeded [26]. It was the year of the first human birth after replacement of hatching blastocyst cryopreserved at an expanded blastocyst stage [27]. A Nordic group, led by the gynaecologist Matts Wikland in Gothenburg, Sweden, described for the first time the possibility of using transvaginal scanning for oocyte retrieval [28]. By this technique, the ovaries visualized well than by the abdominal approach, and the smaller follicles easily punctured. The procedure could done under local anaesthesia and the patient could leave the IVF center after an hour. The first report on the use of abdominal ultrasonography as a guide for embryo transfer published [29]. Dan Szollosi with Jacqueline Mandelbaum described the microstructures of the human oocyte, which become known as 'Oocyte Dysmorphia' [30]. Testart's group in France published impressive results about using propanediol and sucrose as cryoprotectants for embryo freezing, instead of using dimethyl sulphoxide (DMSO) [31]. Quinn and Warnes published a formula entitled Human Tubal Fluid (HTF) that mimics in-vivo environment to which the embryo is exposed [32]. The European Society of Human Reproduction and Embryology (ESHRE) established after its first meeting in Bonn, 1985 by the help of Robert Edwards (from UK) and Jean Cohen (from Paris).

On 1986, Lupron® (GnRH agonist) has been used for the first time to prevent premature ovulation. Monash IVF team reported the world's first pregnancy achieved by surgical sperm retrieval from a patient with bilateral vas deferens ducts obstruction [6]. Wilfried Feichtinger and Peter Kemeter used ultrasound-guided trans-vaginal needle aspiration of mature graffian follicles for oocytes retrieval [33]. It was the year of the first successful pregnancy following IVF donated oocytes in a non-ovarian failure woman achieved by Zev Rosenwaks [34]. Navot et al. reported the ability to induce endometrial cycles artificially and to establish pregnancy in absence of functioning ovaries [35]. Devroey et al. reported the first successful pregnancy following laparoscopic Zygote Intrafallopian Transfer (ZIFT) [36]. The introduction of the Direct Intraperitoneal Insemination (DIPI) was on 1986 [6]. Christopher Chen in Australia reported the world's first pregnancy resulting in a birth of twins by using a previously cryopreserved oocyte (slow freezing with dimethylsulfoxide-DMSO/rapid thawing technique) [37]. The first Soviet IVF baby Lena, conceived at Leonov's laboratory in Moscow and born in February. A few months later, another IVF child, Kirill, Lena's brother, was born in Saint Petersburg. Melissa Stern (Baby M) is born on March 27th in the United States. Her surrogate and biological mother, Mary Beth Whitehead (who conceived by artificial insemination) refused to yield custody of Melissa to the couple (William Stern and his wife, Elizabeth Stern) with whom she made the surrogacy contract. The court of New Jersey found it in the best interest of the infant to award custody of Melissa to her biological father William Stern and his wife Elizabeth Stern, rather than to her surrogate mother, Mary Beth Whitehead.

On 1987, the first report on using ultrasound machine during Embryo Transfer (ET) was published (Figure 2). Laws-King et al. reported a new technique called SUZI (sub-zonal injection) that would advance assisted reproductive technology and offers a hope for couples with recurrent failed cycles [38]. The introduction of a new effective method, Ultra-rapid freezing, for cryopreservation of the human embryos was on 1987 [39]. Norway was the first country in the world



-

Page 3 of 9

to pass a law on ART on June 12th, 1987 (Norwegian law on Assisted Reproduction and Genetics). In the Nordic law, treatment is limited to the married or cohabited couples. Same sex couples, lesbian and single women were excluded from the IVF treatment and further surrogacy and embryo donation was not permitted.

On 1988, Patrick Christopher Steptoe died on March 21st. On the same year, the world's first baby after home monitoring of fertility treatment born [6]. Leeanda Wilton and Alan Trounson introduced the early embryo biopsy technique for genetic study [40]. The first reported two babies born after microsurgical epididymal sperm aspiration (MESA) for men with Congenital Bilateral Absence of Vas Deferens (CBAVD) was published on 1988 [41]. In May, Linda Kirkman gave birth to Alice, who has conceived from her mother Maggie's egg, fertilized by sperm from a donor as her husband, Sev, had no sperms. The world's first IVF surrogate birth occurred in Australia [6]. It was the year of the successful pregnancy achieved through sub-zonal sperm injection (SUZI), and after oocyte zona pellucida drilling and mechanical partial zona dissection that facilitated sperm penetration [42,43].

On 1989, the first report on biopsy taking from pre-implanted human embryos and sex detection by DNA amplification was published [44]. It was the same year when laser used for the first time in the field of assisted reproduction [45]. Gonen et al. in Toronto, Canada, have pioneered the use of ultrasound for assessment of endometrial quality in relation to IVF procedures [46].

On 1990, successful deliveries following human embryo vitrification, and after preimplantation biopsy sexed by Y-specific DNA amplification were reported [47,48]. A Dutch embryologist, Jacques Cohen, published the first report on assisted hatching in human embryos [49]. The use of first polar body biopsy for genetic diagnosis done on the same year [50]. Gonen et al. proposed the use of GnRH agonist in the place of hCG to trigger the endogenous LH-surge for IVF cycles [51]. The use of combined oral contraceptive pills for follicular synchronization and cycle scheduling in IVF programme has been suggested [52]. The British Human Fertilization and Embryology Act set out a framework for ART practice and research under license from the Human Fertilization and Embryology Authority (HFEA) [6].

On 1991, *In-vitro* Maturation (IVM) of donor oocytes in a non-stimulated cycle ensued in a successful pregnancy [53]. GnRH antagonist introduced to prevent premature LH-surge in a controlled ovarian hyperstimulation programme [6]. Daniel Palanker used Excimer laser for zona pellucida drilling [54].

On 1992, the first successful pregnancy after Intracytoplasmic Sperm Injection (ICSI) by Gianpiero Palermo and Andre Van-Steirteghem was in Brussels, Belgium [55]. A further successful *invitro* fertilization and embryo transfer (IVF-ET) was achieved after treatment with recombinant human FSH (rh-FSH) [56]. It was the year of delivery of the first British SUZI treated baby. Two births recorded by Pasquale Patrizio from frozen embryos produced by epididymalaspirated sperms [57]. A published scientific report stated that men with Congenital Bilateral Absence of Vas Deferens (CBAVD) have a mild form of cystic fibrosis (CF) [58]. Administration of luteinizing hormone releasing hormone (LHRH) agonist induced ovulation by triggering endogenous LH-surge [59].


On 1993, Silber et al. [57] reported, for the first time, that infertile men with non-obstructive azoospermia become able to father their own babies by the use of Testicular Sperm Extraction (TESE) and ICSI procedures [60]. The genetic cause of Congenital Bilateral Absence of On 1994, a successful *In-Vitro* oocyte Maturation (IVM) and fertilization in non-ovulating women with Polycystic Ovary (PCO) syndrome achieved by Trounson et al. in Australia [63]. It was the year of birth of the first British triplets after maternal surrogacy [6]. The first IVF unit in the world, Midland Fertility Service in United Kingdom accredited with ISO 9002:1994. The first highly purified FSH preparation developed and the first pregnancy after use of r-hLH was recorded [64,65].

On 1995, a successful human birth reported by Frank Barnes after *in-vitro* primary oocyte maturation (IVM), ICSI, and assisted hatching [66]. The first report of an euploidy testing published by Jacques Cohen, while the first report of spermatids to achieve pregnancy published by Simon Fishel and Green [67,68]. Dozortsev et al. discovered oocyte activation during ICSI procedure triggered by a water-soluble, heat-sensitive, non-species, specific cytosolic sperm factor [69].

On 1996, Gil-Salom et al. reported successful pregnancies employing ICSI after cryopreserved testicular sperms (Figure 3) [70]. The males with severe oligo-astheno-zoospermia discovered to have deletion in their Y-chromosomes [6]. Andrea Jurisicova, a Canadian embryologist, was the first who recognized that preimplantation embryo fragmentation leads to a programmed cell death [71]. Casper et al. at the University of Toronto, Canada used hypo-osmotic swelling test for selection of viable immotile sperms for ICSI procedure in men with complete astheno-zoospermia [72]. Although a successful fertilization of a human oocyte by a late stage spermatid using ICSI first reported by Vanderzwalmen on 1995, it was not before the year 1996 when Jan Tesarik and Simon Fishel announced the delivery of the world's first two successful testicular spermatid babies [6]. This technique introduced the concept of using immature sperms (spermatids) to overcome the problem of males' non-obstructive azoosospermia [73]. On July 5th, Ian Wilmut and Keith Campbell, have succeeded to clone a sheep (Dolly) at Roslin Institute in Scotland by using cells from the mammary glands of an adult sheep and enucleated egg cell.

On 1997, Sun, Jurisicova and Robert Casper described the use of terminal deoxynucleotidyl transferase-mediated dUTP-biotin end labeling (TUNEL) for detection of DNA fragmentation in sperms and its correlation to IVF outcome [74]. They found that sperms with fragmented DNA were less likely to fertilize the oocytes. The first successful birth after the transfer of enucleated donor oocyte cytoplasm into a recipient oocyte (Ooplasm Donation) was on 1997 [75]. The Australia's first twins born after open testicular biopsy. Gamete intrafallopian transfer (GIFT) has accomplished by Porcu and Dal Prato through trans-cervical falloposcopy [76].

On 1998, Hannatu Kupchi, the first successful IVF baby in Nigeria born. The first case report on a successful pregnancy after controlled ovarian hyperstimulation induced by recombinant FSH and GnRH antagonist (Ganirelix[®]) published by Joseph Itskovitz-Eldor [77]. David Gardner at Colorado Center for Reproductive Medicine in the USA introduced a serum-free medium for blastocyst transfer and culture [78]. Gianpiero Palermo et al. succeeded to get sperms from men with non-mosaic Klinefelter's syndrome by testicular extraction and achieved pregnancy by using ICSI procedure [79]. A live birth following cryopreservation of immature oocytes, thawing, IVM and then fertilization through ICSI procedure succeeded. The DNA sequence of the human chromosomes (Human Genome Project) broadcasted. In December 1998, the first set of octuplets in the world



(8 babies; 6 girls and 2 boys) born at St. Luke's Episcopal Hospital in Houston, Texas, USA, after the use of ovulation induction therapy to a Nigerian-born American couple, Nkem Chukwu and Iyke Louis Udobi. Monash IVF-team in Australia announced the birth of twins by using Cell Robotics Laser Assisted Hatching technique [6].

On 1999, the first unaffected gestation was reported after using preimplantation genetic diagnosis (PGD) for sickle cell anemia [80]. Kuleshova et al. testified a successful birth following vitrification of a human oocyte [81]. Born of the world's first baby for a male after multiple ejaculate re-suspension centrifugation technique. Chian et al. demonstrated that hCG priming prior to immature oocyte retrieval in women with PCO syndrome increases oocyte maturation and pregnancy rate [82]. The world's first baby for a patient with cystic fibrosis was born. It was the world's first successful IVF-ICSI pregnancies after airplane transport of oocytes as reported by McGill Reproductive Centre, Toronto, Canada [83]. Denmark reported the highest number of IVF cycles (1826 cycles) per million inhabitants followed by Finland (1440 cycles) and then Sweden, Iceland and Norway (around 1000 cycles). These exceptionally high numbers of IVF cycles are probably due to a combination of relatively high practice levels in the Nordic countries and a high public recognition of the technique [84].

On 2000, Kutluk Oktay and Guvenc Karlikaya were the first to report on the success of human ovarian tissue transplant after frozen storage [85]. The first successful pregnancy in Japan was achieved through blastocyst vitrification. A completely defined new protein-free embryo culture medium introduced.

On 2001, the implantation rate on the running IVF programmes improved by using trans-vaginal ultrasound guided embryo transfer catheter [86]. Chian et al. reported a successful birth of an infant developed from cryopreserved embryo produced by IVM oocytes that derived from a non-stimulated woman with PCO syndrome [87]. McGill group in Canada reported the first ongoing twin pregnancy after ICSI of PESA retrieved spermatozoa into *in-vitro* matured oocytes [88]. A baby born after sperm retrieval from a moribund man [89]. The British first license awarded for PGD and HLA-tissue typing. Australian scientists succeeded in fertilizing mice eggs without using sperms. This step opened the door for future single-sex procreation. The first human cloned 6-cells embryos have achieved by a private American company, Advanced Cell Technology for purpose of stem cell research.


On 2002, Kylie de Boer and her assistants reported the first live birth after blastocyst biopsy for PGD [90]. A comparative genomic hybridization and polar body testing for PGD of chromosomal aneuploidy applied for the first time [91].

On 2003, Tae-Ki Yoon and his working group reported a live birth after vitrification in a stimulated IVF-ET programme [92]. The first IVF birth after ovarian stimulation by a long-acting human recombinant Follicle Stimulating Hormone (rFSH) agonist was reported [93]. Dr. Barash and Prof. Dekel demonstrated increased IVF implantation rate following endometrial curettage by Pipelle curette as a simple outpatient procedure [94].

On 2004, Jacques Donnez reported the first live birth baby after orthotopic transplantation of cryopreserved ovarian tissue [95]. Fertility preservation programmes for women undergoing cancer treatment using IVM and oocyte vitrification were provided [96]. Publication of the first report on the natural ovulatory cycle in IVF combined with IVM as a potential approach to infertility treatment [97]. Gardner et al. performed the world's first single blastocyst transfer trial to improve pregnancy rate and to reduce the risk of multiple gestation [98]. The British National Health System (NHS) funded PGD programme and preimplantation HLA-tissue typing [99]. The first cloned human blastocyst claimed by a group in Korea. A live baby born following preimplantation genetic diagnosis for Retinoblastoma [100].

On 2005, Adriana Iliescu was reported as the world's oldest mother to give a birth at the age of 66 years and 320 days in Giulesti Maternity Hospital, Bucharest, Romania (Figure 4). She had an IVF using donated eggs and sperms. Sherman Silber, in USA, testified the first case of successful ovary transplantation between two identical twin sisters discordant for ovarian function. The first birth in Israel from thawed ovarian cortex transplants in a woman with post-chemotherapy ovarian failure has reported [101]. The First baby born alive after trophectoderm biopsy and preimplantation genetic testing of human blastocysts for beta-Thalassaemia [102].

Page 5 of 9



On 2006, Mohamed Bedaiwy and his group reported a successful cryopreservation of intact human ovary with its vascular pedicle [103]. The first successful pregnancy after PGD for an euploidy screening in embryos generated from a natural ovulatory cycle reported by McGill Reproductive Centre, Toronto, Canada [104]. Maria del Carmen Bousada became the world's oldest mother to give a birth of twins at the age of 66 years and 358 days in Spain. She conceived by aid of IVF using donated eggs and sperms.

On 2007, the first baby born alive from an egg that had been matured *in-vitro*, frozen, thawed and then fertilized at McGill Reproductive Center, Canada [6]. A report published from the McGill Reproductive Center in Canada and the Maria Infertility Hospital in Korea on successful births after transfer of blastocysts that derived from matured oocytes by IVM [105]. The first European baby born after screening by using Comparative Genomic Hybridisation (CGH) [6]. The concept of mild treatment strategy that substantially reduces the risk of multiple gestation and overall costs was hosted [106]. Pasquale Patrizio introduced a novel multi-gradient freezing technique for cryopreservation of the whole ovary that resulted in preservation of the normal ovarian architecture [107].

On 2008, a viable pregnancy was achieved for the first time at Hadassah Medical Center, Jerusalem, in a 38 years old woman who carries a defective BRCA2 gene. Weon-Young et al. recommended 38 hours interval between hCG injection and oocyte retrieval to increase *in-vivo* and *in-vitro* oocyte maturation rates [108]. On December 2008, the Midland Fertility Services in the UK launched vitrification flashfreezing process. The first report, at Monash Immunology and Stem Cell Laboratories (MISCL), on DNA fingerprinting to identify the blastocyst of origin for live births and that of gene expression profiles of biopsied trophectoderm could discriminate between viable and non-viable blastocysts [109]. The first ever birth of healthy twins after oocyte cryopreservation and bilateral ovariectomy for ovarian cancer [110]. Rajo Devi Lohan and Omkari Panwar became the world's oldest mothers to give birth at the age of 70 years in India.

On 2009, octuplets (8 babies; 6 boys and 2 girls) to Nadya Suleman, a 33 years old Iraqi-American woman in California, USA, were born (The second octuplets in the world). Her treating doctor Michael Kamrava had transferred twelve frozen embryos that left from her previous stimulated IVF cycles, which the medical board of California found it to be a "life-threatening practice" and withdrew his medical license. The first baby boy born from vitrified oocytes in Australia [6]. Cetrorelix acetate (LHRH antagonist) approved by FDA for clinical use in IVF programmes. Simon Fishel and his working group from CARE Fertility, Nottingham, reported a live birth after polar body array comparative genomic hybridization [111,112].

On 2010, the Midland Fertility Services in the UK confirmed the first successful pregnancy from vitrified blastocysts. Several minor changes to the 8th HFEA Code of Practice incorporated into the print version of the Code in April 2010. At Nobel Assembly at Karolinska Institute, Sweden, the year 2010th Nobel Prize for Physiology or Medicine offered to the British physiologist, Robert Edwards for his remarkable work in the field of *in vitro* fertilization. An Indian woman has become the oldest mother in the world to have triplets at the age of 66 years. After she has being childless for 44 years of marriage, Bhateri Devi gave birth to two boys and a girl after IVF.

On 2011, the novel monitoring system for continuous observation of early embryo development around the hour (*EmbryoScope*[®]) introduced by Unisense Fertilitech, USA. On December, Clare and Charlotte were the world's first twins born to Ed and Caroline Marks by use of the new EmbryoScpe[®] at Cleveland Reproductive Center, Ohio, USA.

On 2012, the family of Lesley Brown, the first world's IVF mother, confirmed her death at Bristol Royal Infirmary. On the same year, the world's five-millionth IVF baby was born.

On 2013, Professor Sir Robert Edwards, scientist and co-pioneer of IVF, passed away peacefully in his sleep on the morning of April 10th after a long illness. In May, a group of scientists led by Shoukhrat Mitalipov, a reproductive biology specialist at Oregon Health Sciences Universities (OHSU) published a report on a successful human cloning. The approach involved nuclear transfer from human fibroblasts to enucleated oocytes and resulted in viable embryos developing to the blastocyst stage. The researchers planned to obtain embryonic stem cell from these developed blastocysts for purpose of therapeutic cloning. Alison Campbell, a senior British clinical embryologist in Manchester, introduced the novel Time-lapse imaging for early developing preimplantation embryos for clinical selection of healthy-looking embryo without the need for biopsy and preimplantation genetic screening (PGS) in cases with recurrent IVF failure [112].

On June, Ruth Carter, 42-year-old clinical psychologist, became the world's first mother to give birth a girl at Liverpool's Women Hospital, UK after using the new system Early Embryo Viability Assessment (Eeva) implementing the Time-lapse imaging technique.

ART Expectations

The prospects hold promise for rapid evolution in the ART. Advances in molecular medicine will help in mapping the Y chromosome. Males with testicular failure will be able soon to father their own genetic children. Future researches with oocyte maturation, culture media and endometrial receptiveness may allow immature oocyte retrieval with in-vitro maturation to replace the conventional invitro fertilization. Cryopreservation of human oocytes will provide an alternative to embryo cryopreservation with its ethical repercussions. Advances in Time-lapse imaging technique will increase IVF success rate and avoid the need for invasive and expensive Preimplantation Genetic Diagnosis (PGD) to screen out abnormal embryos. New drugs such as GnRH antagonists hold promise of leading to a better ovarian stimulation, egg quality and implantation rates. The transfer of cytoplasm from younger donor oocytes into older oocytes may improve the viability of developing zygotes and give a better chance for older women to carry their own biological babies.

Conclusion

Advances in the assisted reproductive technology for infertile couples were among the great medical successes of the last century. ART has wide steps and fast progress aiming to find a hope with a suitable treatment option for each infertile couple. Costs and complexity of treatment have reduced to alleviate the stress and social troubles. Problems related to the risk of multiple pregnancy and the use of stimulated cycles are being abridged and new techniques for management of severe male factor infertility and the detection of genetic anomalies in the embryo prior to transfer are being introduced. Further refinements of the techniques and modification of treatments will probably occur with ongoing use and practice.

Acknowledgement

The author deeply recognizes the assistance of medical fellows at St Michael hospital and staff of the Faculty of Medicine and Dentistry, University of Bristol. The Bristol Centre for Reproductive Medicine, Southmead Hospital is highly appreciated.

Conflict of Interest

I hereby declare that this work carried out in accordance with the requirements of the University of Bristol Regulations and Code of Ethics for Research Programs. It approved by the Research Review Board. Except where indicated by specific reference in the text, this work is my own work. There was no contribution of any other authors. Any views expressed in the study are those of the author. The work was self-funded. I did not receive any financial funding or support from any person or institution. In addition, I state that I have no competing interests.

References

- De Kretzer D, Dennis P, Hudson B, Leeton J, Lopata A, et al. (1973) Transfer of a human zygote. Lancet 2: 728-729.
- Steptoe PC, Edwards RG (1976) Reimplantation of a human embryo with subsequent tubal pregnancy. Lancet 1: 880-882.
- 3. Steptoe PC, Edwards RG (1978) Birth after the reimplantation of a human

embryo. Lancet 2: 366.

- Edwards RG (2005) An astonishing journey into reproductive genetics since the 1950's. Reprod Nutr Dev 45: 299-306.
- Lopata A, Johnston IW, Hoult IJ, Speirs AI (1980) Pregnancy following intrauterine implantation of an embryo obtained by *in vitro* fertilization of a preovulatory egg. Fertil Steril 33: 117-120.
- Cohen J, Trounson A, Dawson K, Jones H, Hazekamp J, et al. (2005) The early days of IVF outside the UK. Hum Reprod Update 11: 439-459.
- Al-Nuaim L, Jenkins J (2007) A brief historical overview of assisted reproduction. South African J Obstet Gynecol 13: 38-41.
- Trounson AO, Leeton JF, Wood C, Webb J, Wood J (1981) Pregnancies in humans by fertilization *in vitro* and embryo transfer in the controlled ovulatory cycle. Science 212: 681-682.
- Trounson AO, Mohr LR, Wood C, Leeton JF (1982) Effect of delayed insemination on *in-vitro* fertilization, culture and transfer of human embryos. J Reprod Fertil 64: 285-294.
- Sathananthan AH, Trounson AO (1982) Ultrastructural observations on cortical granules in human follicular oocytes cultured in vitro. Gamete Res 5: 191-198.
- 11. Testart J, Frydman R, Feinstein MC, Thebault A, Roger M, et al. (1981) Interpretation of plasma luteinizing hormone assay for the collection of mature oocytes from women: definition of a luteinizing hormone surge-initiating rise. Fertil Steril 36: 50-54.
- Hamberger L, Wikland M, Nilsson L, Janson PO, Sjogren A, et al. (1982) Methods for aspiration of human oocytes by various techniques. Acta Med Rom 20: 370-378.
- Mohr LR, Trounson AO (1980) The use of fluorescein diacetate to assess embryo viability in the mouse. J Reprod Fertil 58: 189-196.
- Fleming R, Adam AH, Barlow DH, Black WP, MacNaughton MC, et al. (1982) A new systematic treatment for infertile women with abnormal hormone profiles. Br J Obstet Gynaecol 89: 80-83.
- Lenz S, Lauritsen JG (1982) Ultrasonically guided percutaneous aspiration of human follicles under local anesthesia: a new method of collecting oocytes for *in vitro* fertilization. Fertil Steril 38: 673-677.
- Trounson A, Leeton J, Besanko M, Wood C, Conti A (1983) Pregnancy established in an infertile patient after transfer of a donated embryo fertilised *in vitro*. Br Med J (Clin Res Ed) 286: 835-838.
- Trounson A, Leeton J, Besanko M, Wood C, Conti A (1983) Pregnancy established in an infertile patient after transfer of a donated embryo fertilised *in vitro*. Br Med J (Clin Res Ed) 286: 835-838.
- Trounson A, Mohr L (1983) Human pregnancy following cryopreservation, thawing and transfer of an eight-cell embryo. Nature 305: 707-709.
- Veeck LL, Wortham JW Jr, Witmyer J, Sandow BA, Acosta AA, et al. (1983) Maturation and fertilization of morphologically immature human oocytes in a program of *in vitro* fertilization. Fertil Steril 39: 594-602.
- Gleicher N, Friberg J, Fullan N, Giglia RV, Mayden K, et al. (1983) EGG retrieval for *in vitro* fertilisation by sonographically controlled vaginal culdocentesis. Lancet 2: 508-509.
- Casper RF, Wilson E, Collins JA, Brown SF, Parker JA (1983) Enhancement of human implantation by exogenous chorionic gonadotropin. Lancet 2: 1191.
- 22. Victoria Government Gazette (1985) Infertility (Medical Procedures) Act 1984. 10163: 47.
- Asch RH, Ellsworth LR, Balmaceda JP, Wong PC (1984) Pregnancy after translaparoscopic gamete intrafallopian transfer. Lancet 2: 1034-1035.
- 24. Lutjen P, Trounson A, Leeton J, Findlay J, Wood C, et al. (1984) The establishment and maintenance of pregnancy using *in vitro* fertilization and embryo donation in a patient with primary ovarian failure. Nature 307: 174-175.
- 25. Schulman JD, Dorfmann AD, Jones SL, Pitt CC, Joyce B, et al. (1987) Outpatient *in vitro* fertilization using transvaginal ultrasound-guided oocyte retrieval. Obstet Gynecol 69: 665-668.Zeilmaker GH, Alberda AT, van Gent I, Rijkmans CM, Drogendijk AC (1984) Two pregnancies following transfer of intact frozen-thawed embryos. Fertil Steril 42: 293-296.
- Temple-Smith PD, Southwick GJ, Yates CA, Trounson AO, de Kretser DM (1985) Human pregnancy by *in vitro* fertilization (IVF) using sperm aspirated

from the epididymis. J In Vitro Fert Embryo Transf 2: 119-122.

- Cohen J, Simons RF, Fehilly CB, Fishel SB, Edwards RG, et al. (1985) Birth after replacement of hatching blastocyst cryopreserved at expanded blastocyst stage. Lancet 1: 647.
- Wikland M, Enk L, Hamberger L (1985) Transvesical and transvaginal approaches for the aspiration of follicles by use of ultrasound. Ann N Y Acad Sci 442: 182-194.
- 29. Strickler RC, Christianson C, Crane JP, Curato A, Knight AB, et al. (1985) Ultrasound guidance for human embryo transfer. Fertil Steril 43: 54-61.
- Szöllösi D, Mandelbaum J, Plachot M, Salat-Baroux J, Cohen J (1986) Ultrastructure of the human preovulatory oocyte. J *In Vitro* Fert Embryo Transf 3: 232-242.
- Testart J, Lassalle B, Belaisch-Allart J, Hazout A, Forman R, et al. (1986) High pregnancy rate after early human embryo freezing. Fertil Steril 46: 268-272.
- Quinn P, Kerin JF, Warnes GM (1985) Improved pregnancy rate in human *in vitro* fertilization with the use of a medium based on the composition of human tubal fluid. Fertil Steril 44: 493-498.
- Feichtinger W, Kemeter P (1986) Transvaginal sector scan sonography for needle guided transvaginal follicle aspiration and other applications in gynecologic routine and research. Fertil Steril 45: 722-725.
- Rosenwaks Z, Veeck LL, Liu HC (1986) Pregnancy following transfer of *in vitro* fertilized donated oocytes. Fertil Steril 45: 417-420.
- Navot D, Laufer N, Kopolovic J, Rabinowitz R, Birkenfeld A, et al. (1986) Artificially induced endometrial cycles and establishment of pregnancies in the absence of ovaries. N Engl J Med 314: 806-811.
- Devroey P, Braeckmans P, Smitz J, Van Waesberghe L, Wisanto A, et al. (1986) Pregnancy after translaparoscopic zygote intrafallopian transfer in a patient with sperm antibodies. Lancet 1: 1329.
- Chen C (1986) Pregnancy after human oocyte cryopreservation. Lancet 1: 884-886.
- Laws-King A, Trounson A, Sathananthan H, Kola I (1987) Fertilization of human oocytes by microinjection of a single spermatozoon under the zona pellucida. Fertil Steril 48: 637-642.
- Trounson A, Peura A, Kirby C (1987) Ultrarapid freezing: a new low-cost and effective method of embryo cryopreservation. Fertil Steril 48: 843-850.
- 40. Wilton LJ, Trounson AO (1989) Biopsy of preimplantation mouse embryos: development of micromanipulated embryos and proliferation of single blastomeres *in vitro*. Biol Reprod 40: 145-152.
- Patrizio P, Silber S, Ord T, Balmaceda JP, Asch RH (1988) Two births after microsurgical sperm aspiration in congenital absence of vas deferens. Lancet 2: 1364.
- 42. Ng SC, Bongso A, Ratnam SS, Sathananthan H, Chan CL, et al. (1988) Pregnancy after transfer of sperm under zona. Lancet 2: 790.
- Cohen J, Malter H, Fehilly C, Wright G, Elsner C, et al. (1988) Implantation of embryos after partial opening of oocyte zona pellucida to facilitate sperm penetration. Lancet 2: 162.
- 44. Handyside AH, Pattinson JK, Penketh RJ, Delhanty JD, Winston RM, et al. (1989) Biopsy of human preimplantation embryos and sexing by DNA amplification. Lancet 1: 347-349.
- 45. Tadir Y, Wright WH, Vafa O, Ord T, Asch RH, et al. (1989) Micromanipulation of sperm by a laser generated optical trap. Fertil Steril 52: 870-873.
- 46. Gonen Y, Casper RF, Jacobson W, Blankier J (1989) Endometrial thickness and growth during ovarian stimulation: a possible predictor of implantation in *in vitro* fertilization. Fertil Steril 52: 446-450.
- Gordts S, Roziers P, Campo R, Noto V (1990) Survival and pregnancy outcome after ultrarapid freezing of human embryos. Fertil Steril 53: 469-472.
- Handyside AH, Kontogianni EH, Hardy K, Winston RM (1990) Pregnancies from biopsied human preimplantation embryos sexed by Y-specific DNA amplification. Nature 344: 768-770.
- 49. Cohen J, Elsner C, Kort H, Malter H, Massey J, et al. (1990) Impairment of the hatching process following IVF in the human and improvement of implantation by assisting hatching using micromanipulation. Hum Reprod 5: 7-13.
- 50. Verlinsky Y, Ginsberg N, Lifchez A, Valle J, Moise J, et al. (1990) Analysis of

the first polar body: preconception genetic diagnosis. Hum Reprod 5: 826-829.

Page 8 of 9

- Gonen Y, Balakier H, Powell W, Casper RF (1990) Use of gonadotropinreleasing hormone agonist to trigger follicular maturation for *in vitro* fertilization. J Clin Endocrinol Metab 71: 918-922.
- Gonen Y, Jacobson W, Casper RF (1990) Gonadotropin suppression with oral contraceptives before *in vitro* fertilization. Fertil Steril 53: 282-287.
- 53. Cha KY, Koo JJ, Ko JJ, Choi DH, Han SY, et al. (1991) Pregnancy after *in vitro* fertilization of human follicular oocytes collected from nonstimulated cycles, their culture *in vitro* and their transfer in a donor oocyte program. Fertil Steril 55: 109-113.
- Palanker D, Ohad S, Lewis A, Simon A, Shenkar J, et al. (1991) Technique for cellular microsurgery using the 193-nm excimer laser. Lasers Surg Med 11: 580-586.
- Palermo G, Joris H, Devroey P, Van Steirteghem AC (1992) Pregnancies after intracytoplasmic injection of single spermatozoon into an oocyte. Lancet 340: 17-18.
- Devroey P, van Steirteghem A, Mannaerts B, Bennink HC (1992) Successful in-vitro fertilisation and embryo transfer after treatment with recombinant human FSH. Lancet 339: 1170.
- Patrizio P, Silber S, Ord T, Marello E, Balmaceda JP, et al. (1992) Replacement of frozen embryos generated from epididymal spermatozoa: the first two pregnancies. Hum Reprod 7: 652-653.
- Anguiano A, Oates RD, Amos JA, Dean M, Gerrard B, et al. (1992) Congenital bilateral absence of the vas deferens. A primarily genital form of cystic fibrosis. JAMA 267: 1794-1797.
- Emperaire JC, Ruffié A, Audebert AJ (1992) [Ovulation induction by endogenous LH released by the administration of an LHRH agonist after follicular stimulation for *in vitro* fertilization]. J Gynecol Obstet Biol Reprod (Paris) 21: 489-494.
- Devroey P, Liu J, Nagy Z, Goossens A, Tournaye H, et al. (1995) Pregnancies after testicular sperm extraction and intracytoplasmic sperm injection in nonobstructive azoospermia. Hum Reprod 10: 1457-1460.
- Patrizio P, Asch RH, Handelin B, Silber SJ (1993) Aetiology of congenital absence of vas deferens: genetic study of three generations. Hum Reprod 8: 215-220.
- 62. Devroey P, Mannaerts B, Smitz J, Coelingh Bennink H, Van Steirteghem A (1993) First established pregnancy and birth after ovarian stimulation with recombinant human follicle stimulating hormone (Org 32489). Hum Reprod 8: 863-865.
- Trounson A, Wood C, Kausche A (1994) *In vitro* maturation and the fertilization and developmental competence of oocytes recovered from untreated polycystic ovarian patients. Fertil Steril 62: 353-362.
- 64. Howles CM, Loumaye E, Giroud D, Luyet G (1994) Multiple follicular development and ovarian steroidogenesis following subcutaneous administration of a highly purified urinary FSH preparation in pituitary desensitized women undergoing IVF: a multicentre European phase III study. Hum Reprod 9: 424-430.
- Hull M, Corrigan E, Piazzi A, Loumaye E (1994) Recombinant human luteinising hormone: an effective new gonadotropin preparation. Lancet 344: 334-335.
- 66. Barnes FL, Crombie A, Gardner DK, Kausche A, Lacham-Kaplan O, et al. (1995) Blastocyst development and birth after *in-vitro* maturation of human primary oocytes, intracytoplasmic sperm injection and assisted hatching. Hum Reprod 10: 3243-3247.
- Munné S, Sultan KM, Weier HU, Grifo JA, Cohen J, et al. (1995) Assessment of numeric abnormalities of X, Y, 18, and 16 chromosomes in preimplantation human embryos before transfer. Am J Obstet Gynecol 172: 1191-1199.
- Fishel S, Green S, Bishop M, Thornton S, Hunter A, et al. (1995) Pregnancy after intracytoplasmic injection of spermatid. Lancet 345: 1641-1642.
- Dozortsev D, Rybouchkin A, De Sutter P, Qian C, Dhont M (1995) Human oocyte activation following intracytoplasmic injection: the role of the sperm cell. Hum Reprod 10: 403-407.
- Gil-Salom M, Romero J, Minguez Y, Rubio C, De los Santos MJ, et al. (1996) Pregnancies after intracytoplasmic sperm injection with cryopreserved testicular spermatozoa. Hum Reprod 11: 1309-1313.
- Jurisicova A, Varmuza S, Casper RF (1996) Programmed cell death and human embryo fragmentation. Mol Hum Reprod 2: 93-98.

- Casper RF, Meriano JS, Jarvi KA, Cowan L, Lucato ML (1996) The hypoosmotic swelling test for selection of viable sperm for intracytoplasmic sperm injection in men with complete asthenozoospermia. Fertil Steril 65: 972-976.
- Kahraman S, Polat G, Samli M, Sözen E, Ozgün OD, et al. (1998) Multiple pregnancies obtained by testicular spermatid injection in combination with intracytoplasmic sperm injection. Hum Reprod 13: 104-110.
- Sun JG, Jurisicova A, Casper RF (1997) Detection of deoxyribonucleic acid fragmentation in human sperm: correlation with fertilization *in vitro*. Biol Reprod 56: 602-607.
- Cohen J, Scott R, Schimmel T, Levron J, Willadsen S (1997) Birth of infant after transfer of anucleate donor oocyte cytoplasm into recipient eggs. Lancet 350: 186-187.
- Porcu E, Dal Prato L, Seracchioli R, Petracchi S, Fabbri R, et al. (1997) Births after transcervical gamete intrafallopian transfer with a falloposcopic delivery system. Fertil Steril 67: 1175-1177.
- 77. Itskovitz-Eldor J, Kol S, Mannaerts B, Coelingh Bennink H (1998) First established pregnancy after controlled ovarian hyperstimulation with recombinant follicle stimulating hormone and gonadotrophin releasing hormone antagonist Ganirelix. Hum Reprod 13: 294-395.
- Gardner DK (1998) Development of serum-free media for the culture and transfer of human blastocysts. Hum Reprod 13 Suppl 4: 218-225.
- Palermo GD, Schlegel PN, Sills ES, Veeck LL, Zaninovic N, et al. (1998) Births after intracytoplasmic injection of sperm obtained by testicular extraction from men with nonmosaic Klinefelter's syndrome. N Engl J Med 338: 588-590.
- Xu K, Shi ZM, Veeck LL, Hughes MR, Rosenwaks Z (1999) First unaffected pregnancy using preimplantation genetic diagnosis for sickle cell anemia. JAMA 281: 1701-1706.
- Kuleshova L, Gianaroli L, Magli C, Ferraretti A, Trounson A (1999) Birth following vitrification of a small number of human oocytes: case report. Hum Reprod 14: 3077-3079.
- Chian RC, Gülekli B, Buckett WM, Tan SL (1999) Priming with human chorionic gonadotropin before retrieval of immature oocytes in women with infertility due to the polycystic ovary syndrome. N Engl J Med 341: 1624, 1626.
- Buckett WM, Fisch P, Dean NL, Biljan MM, Tan SL (1999) *In vitro* fertilization and intracytoplasmic sperm injection pregnancies after successful transport of oocytes by airplane. Fertil Steril 71: 753-755.
- Nygren KG, Andersen AN (2002) Assisted reproductive technology in Europe, 1999. Results generated from European registers by ESHRE. Hum Reprod 17: 3260-3274.
- Oktay K, Karlikaya G (2000) Ovarian function after transplantation of frozen, banked autologous ovarian tissue. N Engl J Med 342: 1919.
- Kojima K, Nomiyama M, Kumamoto T, Matsumoto Y, Iwasaka T (2001) Transvaginal ultrasound-guided embryo transfer improves pregnancy and implantation rates after IVF. Hum Reprod 16: 2578-2582.
- Chian RC, Gülekli B, Buckett WM, Tan SL (2001) Pregnancy and delivery after cryopreservation of zygotes produced by *in-vitro* matured oocytes retrieved from a woman with polycystic ovarian syndrome. Hum Reprod 16: 1700-1702.
- Abdul-Jalil AK, Child TJ, Phillips S, Dean N, Carrier S, et al. (2001) Ongoing twin pregnancy after ICSI of PESA-retrieved spermatozoa into *in-vitro* matured oocytes: case report. Hum Reprod 16: 1424-1426.
- Belker AM, Swanson ML, Cook CL, Carrillo AJ, Yoffe SC (2001) Live birth after sperm retrieval from a moribund man. Fertil Steril 76: 841-843.
- De Boer K, McArthur S, Murray C, Jansen R (2002) First live birth following blastocyst biopsy and PGD analysis. Reprod Biomed Online 4: 35.
- Wells D, Escudero T, Levy B, Hirschhorn K, Delhanty JD, et al. (2002) First clinical application of comparative genomic hybridization and polar body testing for preimplantation genetic diagnosis of aneuploidy. Fertil Steril 78: 543-549.
- Yoon TK, Kim TJ, Park SE, Hong SW, Ko JJ, et al. (2003) Live births after vitrification of oocytes in a stimulated *in vitro* fertilization-embryo transfer program. Fertil Steril 79: 1323-1326.
- Beckers NG, Macklon NS, Devroey P, Platteau P, Boerrigter PJ, et al. (2003) First live birth after ovarian stimulation using a chimeric long-acting human recombinant follicle-stimulating hormone (FSH) agonist (recFSH-CTP) for *invitro* fertilization. Fertil Steril 79: 621-623.

- 94. Barash A, Dekel N, Fieldust S, Segal I, Schechtman E, et al. (2003) Local injury to the endometrium doubles the incidence of successful pregnancies in patients undergoing *in vitro* fertilization. Fertil Steril 79: 1317-1322.
- Donnez J, Dolmans MM, Demylle D, Jadoul P, Pirard C, et al. (2004) Livebirth after orthotopic transplantation of cryopreserved ovarian tissue. Lancet 364: 1405-1410.
- 96. Rao GD, Chian RC, Son WS, Gilbert L, Tan SL (2004) Fertility preservation in women undergoing cancer treatment. Lancet 363: 1829-1830.
- Chian RC, Buckett WM, Abdul Jalil AK, Son WY, Sylvestre C, et al. (2004) Natural-cycle *in vitro* fertilization combined with *in vitro* maturation of immature oocytes is a potential approach in infertility treatment. Fertil Steril 82: 1675-1678.
- Gardner DK, Surrey E, Minjarez D, Leitz A, Stevens J, et al. (2004) Single blastocyst transfer: a prospective randomized trial. Fertil Steril 81: 551-555.
- Verlinsky Y, Rechitsky S, Sharapova T, Morris R, Taranissi M, et al. (2004) Preimplantation HLA testing. JAMA 291: 2079-2085.
- 100.Xu K, Rosenwaks Z, Beaverson K, Cholst I, Veeck L, et al. (2004) Preimplantation genetic diagnosis for retinoblastoma: the first reported liveborn. Am J Ophthalmol 137: 18-23.
- 101.Meirow D, Levron J, Eldar-Geva T, Hardan I, Fridman E, et al. (2005) Pregnancy after transplantation of cryopreserved ovarian tissue in a patient with ovarian failure after chemotherapy. N Engl J Med 353: 318-321.
- 102. Kokkali G, Vrettou C, Traeger-Synodinos J, Jones GM, Cram DS, et al. (2005) Birth of a healthy infant following trophectoderm biopsy from blastocysts for PGD of beta-thalassaemia major. Hum Reprod 20: 1855-1859.
- Bedaiwy MA, Hussein MR, Biscotti C, Falcone T (2006) Cryopreservation of intact human ovary with its vascular pedicle. Hum Reprod 21: 3258-3269.
- 104.Ao A, Jin S, Rao D, Son WY, Chian RC, Tan SL (2006) First successful pregnancy outcome after preimplantation genetic diagnosis for aneuploidy screening in embryos generated from natural-cycle *in-vitro* fertilization combined with an *in-vitro* maturation procedure. Fertil Steril 85: 1510.
- 105. Son WY, Lee SY, Yoon SH, Lim JH (2007) Pregnancies and deliveries after transfer of human blastocysts derived from *in vitro* matured oocytes in *in vitro* maturation cycles. Fertil Steril 87: 1491-1493.
- 106. Heijnen EM, Eijkemans MJ, De Klerk C, Polinder S, Beckers NG, et al. (2007) A mild treatment strategy for *in-vitro* fertilisation: a randomised non-inferiority trial. Lancet 369: 743-749.
- Patrizio P, Gavish Z, Martel M, Azodi M, Silber S, et al. (2007) Whole human ovaries cryopreservation using a novel multi-gradient freezing device. Fertil Steril 88: S355.
- 108. Son WY, Chung JT, Chian RC, Herrero B, Demirtas E, et al. (2008) A 38 h interval between hCG priming and oocyte retrieval increases *in vivo* and *in vitro* oocyte maturation rate in programmed IVM cycles. Hum Reprod 23: 2010-2016.
- 109.Jones GM, Cram DS, Song B, Kokkali G, Pantos K, et al. (2008) Novel strategy with potential to identify developmentally competent IVF blastocysts. Hum Reprod 23: 1748-1759.
- 110. Porcu E, Venturoli S, Damiano G, Ciotti PM, Notarangelo L, et al. (2008) Healthy twins delivered after oocyte cryopreservation and bilateral ovariectomy for ovarian cancer. Reprod Biomed Online 17: 265-267.
- 111. Fishel S, Gordon A, Lynch C, Dowell K, Ndukwe G, et al. (2007) Live birth after polar body array comparative genomic hybridization prediction of embryo ploidy: the future of IVF? Fertil Steril 93: 1006.e7-1006.e10.
- 112. Campbell A, Fishel S, Bowman N, Duffy S, Sedler M, et al. (2013) Retrospective analysis of outcomes after IVF using an aneuploidy risk model derived from time-lapse imaging without PGS. Reprod Biomed Online.