OPEN ACCESS Freely available online

Journal of Cancer Research and Immuno-Oncology

Commentary

Circadian Rhythm Disruption Influencing Cancer Progression and Treatment Outcomes

Elena Varga*

Department of Molecular Cancer Medicine, Danube Biomedical University, Bratislava, Slovakia

DESCRIPTION

Cancer develops through continuous interactions among malignant cells, stromal populations, vascular structures, extracellular matrix components, endocrine signals, metabolic pathways, and inflammatory cells. Alongside these well-recognized biological systems, another regulatory mechanism has attracted increasing scientific attention over the past several years: the circadian timing system. Circadian rhythms are endogenous biological cycles that operate over approximately twenty-four hours and coordinate physiological activities including sleep, hormone secretion, metabolism, cellular proliferation, protein synthesis, and tissue regeneration. These daily oscillations enable organisms to synchronize internal biological processes with environmental light and dark cycles. Growing evidence indicates that disruption of circadian regulation influences numerous aspects of cancer biology, including cellular communication, metabolic adaptation, inflammatory activity, therapeutic responsiveness, and disease progression. Consequently, circadian biology has become an expanding field within cancer research and immuno-oncology.

The circadian timing system is organized through a central biological clock located within the suprachiasmatic nucleus of the hypothalamus together with numerous peripheral clocks distributed throughout nearly every tissue of the body. Environmental light reaching the retina provides the principal signal that synchronizes central circadian activity with the external day-night cycle. Hormonal signals, neural pathways, nutritional intake, physical activity, and body temperature subsequently coordinate peripheral biological clocks within individual organs. This integrated regulatory system ensures that physiological processes occur at appropriate times during each twenty-four-hour cycle.

Healthy tissues rely upon circadian coordination to regulate cellular renewal and tissue maintenance. Epithelial cells lining the gastrointestinal tract, skin, respiratory system, and additional organs display rhythmic patterns of proliferation and differentiation. Hepatic metabolism, endocrine secretion, vascular tone, and nutrient absorption similarly fluctuate according to circadian timing. Fibroblasts responsible for connective tissue maintenance also exhibit rhythmic production of extracellular matrix proteins and signaling molecules. These coordinated oscillations support structural integrity while maintaining communication among neighboring cellular populations.

Malignant transformation gradually disrupts normal circadian organization through persistent metabolic stress, altered signaling pathways, oxidative damage, and changes in tissue architecture. Cancer cells frequently display irregular expression of clock-associated regulatory molecules, resulting in altered timing of cellular proliferation, metabolic activity, and communication with surrounding stromal populations. These disturbances contribute to biological heterogeneity observed among malignant lesions while influencing interactions with endothelial cells, fibroblasts, macrophages, dendritic cells, lymphocytes, and extracellular matrix components.

Mitochondria play an essential role in linking circadian regulation with cellular metabolism. These organelles generate adenosine triphosphate through oxidative phosphorylation while participating in calcium homeostasis, reactive oxygen species production, and apoptosis. Circadian oscillations influence mitochondrial function by regulating expression of metabolic enzymes and proteins involved in energy production. Disturbances affecting these rhythmic processes alter cellular metabolism, oxidative balance, and responses to environmental stress,

Dendritic cells responsible for antigen presentation also display circadian fluctuations affecting migration, cytokine secretion, and communication with lymphocyte populations. Variability in antigen processing and presentation during different periods of the daily cycle suggests that temporal regulation contributes to adaptive responses. Continued investigation seeks to determine how these rhythmic biological activities influence disease progression and responsiveness to therapeutic intervention across different malignancies.

Correspondence to: Elena Varga, Department of Molecular Cancer Medicine, Danube Biomedical University, Bratislava, Slovakia, E-mail: elena.varga@dbu-slovakia.edu

Received: 01-Jun-2026, Manuscript No. JCRIO-26-43987; **Editor assigned:** 03-Jun-2026, PreQC No. JCRIO-26-43987(PQ); **Reviewed:** 17-Jun-2026, QC No. JCRIO-26-43987; **Revised:** 24-Jun-2026, Manuscript No. JCRIO-26-43987 (R); **Published:** 01-Jul-2026, DOI: 10.35248/2684-1266.26.12.287

Citation: Varga E (2026). Circadian Rhythm Disruption Influencing Cancer Progression and Treatment Outcomes J Cancer Res Immunooncol. 11:287.

Copyright: © 2026 Varga E. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Hormonal regulation provides another important connection between circadian biology and cancer progression. Cortisol, melatonin, growth hormone, insulin, and numerous additional endocrine mediators display predictable daily fluctuations that influence metabolism, oxidative balance, and cellular communication. Alterations in sleep patterns, night-shift work, chronic stress, and irregular light exposure disturb hormonal rhythms, producing systemic physiological changes capable of influencing malignant disease. These endocrine alterations affect not only cancer cells but also stromal populations responsible for maintaining tissue organization.

The intestinal microbiome has emerged as an additional contributor to circadian regulation. Microbial populations display rhythmic fluctuations in composition and metabolic activity according to feeding behavior and host circadian timing. Metabolites generated by intestinal microorganisms enter systemic circulation, influencing epithelial physiology, metabolism, vascular biology, and inflammatory regulation. Circadian disruption alters microbial ecology and metabolite production, thereby modifying communication between microbial communities and host tissues. This bidirectional relationship represents an expanding area of cancer research.

Single-cell sequencing technologies have further expanded knowledge by identifying circadian variability among individual cellular populations. Earlier studies generally evaluated tissue samples collected at single time points, limiting recognition of dynamic molecular changes. Modern investigations demonstrate that fibroblasts, endothelial cells, macrophages, lymphocytes, and malignant cells each display distinct temporal transcriptional patterns influenced by local environmental conditions. These findings illustrate that circadian regulation contributes to cellular heterogeneity within individual lesions.

Artificial intelligence has become increasingly valuable for interpreting complex temporal datasets generated through chronobiological research. Machine learning algorithms integrate transcriptomic profiles, imaging findings, clinical information, metabolomic data, and treatment schedules to identify rhythmic biological patterns associated with disease progression and therapeutic response. Computational analysis supports development of predictive models capable of evaluating relationships between circadian timing and clinical outcomes.

CONCLUSION

Future progress in cancer research and immuno-oncology will increasingly require integration of circadian biology with molecular profiling, computational analysis, metabolomics, microbiome research, and clinical investigation. Circadian regulation influences metabolism, endocrine activity, vascular organization, extracellular matrix remodeling, cellular communication, and numerous physiological processes involved in malignant disease. Better understanding of temporal biological organization will strengthen biomarker development, improve individualized patient assessment, and support innovative therapeutic strategies that consider not only molecular characteristics but also the biological timing of cellular function across diverse human cancers.