

Creating a Non-Word List to Match 226 of the Snodgrass Standardised Picture Set

Jess Bretherton-Furness*, David Ward and Douglas Saddy

School of Psychology and Clinical Language Sciences, University of Reading, Whiteknights Road, Reading, UK

*Corresponding author: Jess Bretherton-Furness, School of Psychology and Clinical Language Sciences, University of Reading, Whiteknights Road, Reading, UK, Tel: +44 (0)118 378 6573; E-mail: J.bretherton-furness@pgr.reading.ac.uk

Received date: December 03, 2015; Accepted date: January 29, 2016; Published date: February 01, 2016

Copyright: ©2016 Bretherton-Furness J, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Introduction

Creating non-word lists is a necessary but time consuming exercise often needed when conducting behavioural language tasks such as lexical decisions or non-word reading. The following article describes the process whereby we created a list of 226 non-words matching 226 of the Snodgrass picture set [1]. In order to examine phoneme monitoring in fluent and non-fluent speakers we used the Snodgrass pictures created by Snodgrass and Vanderwart [1]. We also wished to look at phoneme monitoring in non-words so began creating a list of words that were matched to the Snodgrass pictures. The non-words created were matched on the following dimensions; number of syllables, stress pattern, number of phonemes, bigram count and presence and location of the target sound when relevant. These properties were chosen as they have been found to influence how easy or difficult it is to detect a target phoneme.

Rationale for creating a non-word list

The nature of non-words used in experimental work has been shown to be extremely important to the results of the study they're used for. For example, the more or less similar a non-word is to a real word effects the speed at which a lexical decision is made [2-5]. Gibbs and Van Orden [3] found that lexical decisions were fastest when the non-words used contained illegal letter strings – strings of letters that do not appear together in the language used e.g., /gtf/. Keuleers and Brysbaert [6], state that due to the impact non-words have on lexical decisions, they should only contain legal letter strings thus more closely approximating real words.

Phonotatic probability is the frequency with which different sound segments and segment sequences occur in the lexicon [7-11]. For example, /bl/ occurs commonly in English and is therefore thought to have a high phonotactic probability. It has been found that sensitivity to phonotactic probability develops in childhood and becomes increasingly sensitive as our lexicon grows [8,12-14]. Munson and Bable [15] suggested that this increase in sensitivity is reflective of our lexical representations becoming more segmental. As our lexicon expands, so too do the phonotactic possibilities and we become more sensitive to those segments which appear most often e.g., /bl/. Coady and Aslin [12] Storkel [8] and Zamuner, Gerken and Hammond [16] have found that phonotactic probability is reflected in the accuracy of speech in young children e.g. the lower the phonotactic probability the less accurate the speech. This finding, when applied to the two-step model of lexical access [17] can be explained in terms of the level of activation. When a speaker attempts to access a word in their lexicon this model proposes two steps, lemma retrieval and phonological retrieval. These two steps are not sequential and activation spreads throughout the retrieval network from semantic features to

phonological features and back again. The most active phoneme units are then selected and positioned into the phonological frame. The model would suggest that those units with higher phonological probability have higher activation and are, therefore, more readily retrieved. For this reason it may be easier to detect /l/ when it is in a /bl/ combination rather than a /nl/ combination as /bl/ occurs more often in English than /nl/. As our list was created for a phoneme monitoring task controlling for the number of letter bigrams was especially important.

In Levelt et al., [18] model of speech production it is noted that we have the ability to monitor phonological code that is generated in the syllabification process which occurs before word production. Tasks such as phoneme monitoring can be used to test our ability to monitor phonological code which is what Schiller [19] did. Adult Dutch speakers were given a silent phoneme monitoring task in which the phoneme they had to monitor for occurred in the syllable initial and stress initial position and was compared to when it occurred in syllable initial but not stress initial position. It was found that phoneme monitoring occurs fastest when the phoneme occurs in the initial stress position. Dutch like English is a language in which the majority of multisyllabic words have their syllable stress on the initial syllable so results can be generalised to English. Coalson and Byrd [20] conducted a study asking participants to monitor for a phoneme in non-words. They found similar results to Schiller (2005) and also suggest that fluent adults monitor for phonemes more slowly in non-words as opposed to real words. It can be seen from this work that controlling for the position of the phoneme within the word and whether it occurs in the stressed syllable is important as it affects speed of monitoring.

Purpose of the list - current study

We created this non-word list as in our subsequent study we wished to examine phoneme monitoring in real and non-words in adult who are fluent vs. adults who are dysfluent. As we also wished to do this in a silent picture phoneme monitoring paradigm we chose to use the Snodgrass picture set [1]. Snodgrass and Vanderwart created this their set of 260 line drawings which they standardised on four variables; familiarity, image agreement, name agreement and visual complexity. These variables must be controlled for as they affect cognitive processing in pictorial and verbal form. More familiar items are more easily named as are words learnt at a younger age, those with higher name and image agreement, and less visual complexity, are also more easily named [21-23].

Generating the non-words

Initially we excluded some of the Snodgrass words e.g. those which are not regularly used in British English e.g. wrench (in English we

Page 2 of 4

would use spanner) noun phrases were also excluded e.g., wine glass. We then transcribed each word orthographically and phonologically detailing position of primary stress, total number of syllables and the total number of phonemes. A letter bigram count was also calculated by hand. This count, taking account of phonological transcription, was vital as English orthographic transcription does not consistently agree with phonological transaction. Once we had all of this information we could begin creating our non-words.

In order to create the non-words we used two software programs. The first was the ARC Nonword Database [24]. This database was created so that researchers could access monosyllabic non-words or pseudo-homophones, chosen on the basis of a number of properties including; the number of letters, the neighbourhood size, summed frequency of neighbours, number of body neighbours, summed frequency of body neighbours, number of body friends, number of body enemies, number of onset neighbours, summed frequency of onset neighbours, number of phonological neighbours, summed frequency of onset neighbours, bigram frequency - type, bigram frequency - token (both position specific and position non-specific), trigram frequency - type, trigram frequency - token (both position specific and position non-specific) and the number of phonemes. Values for each of these can be set (upper and lower limits) and the fields you wish to have output for can also be selected. Non-words and pseudo-homophones can be chosen to be only orthographically existing onsets, be only orthographically existing bodies, only legal bigrams, monomorphemic only syllables, polymorphemic only syllables and morphologically ambiguous syllables. The ARC software, whilst extensive, could only be used to create non-words for all of the monosyllabic words in the Snodgrass set (121 words of the 226 total). Each word was chosen from a list of possible options given by the ARC database, when the target sound needed to be present non-words had to be selected that also had the target sound in the same position. It was not possible to ask the software to do this for us so added additional workload.

For the remaining 105 multisyllabic words we used the Wuggy software (Keuleers and Brysbaert, 2010) to create the non-words. Once again words were matched to real words in terms of, phoneme length, syllable length, presence or absence of the target sound, place in which the target sound occurred when it occurred and stress pattern. Wuggy is a multilingual pseudo-word generator designed to elicit non-words in Basque, Dutch, English, French, German, Serbian (Cyrillic and Latin), Spanish, and Vietnamese. This software was developed to expand upon what ARC offers as it can generate multisyllabic words. A word or non-word can be inputted and the algorithm can generate pseudo-words which are matched in sub-syllabic structure and transition frequencies. In the Wuggy software, after the language has been selected, it is possible to select whether real or pseudo-words are required. Output restrictions can then be applied including; match length of sub-syllabic segments, match letter length, match transition frequencies (concentric search) and match sub-syllabic segments e.g. 2 out of 3. There are also output options similar to ARC, including; syllables, lexicality, OLD 20, neighbours at edit distance, number of overlapping segments and deviation statistics. Each of the remaining 105 words were put into Wuggy and one of the options generated was chosen based upon whether it had the target sound (when applicable) in the correct location.

Once each non-word had been chosen and transcribed orthographically and phonologically a manual bigram count was taken. To ensure no bigrams were missed the total number of phonemes was calculated (980 phonemes in each list – words and nonwords) following this the total number of possible bigrams was calculated (754 bigrams in each list – words and non-words). Bigram frequency data was calculated for real and non-words and a Wilcoxon signed rank test similar frequencies across the two word lists (z=-0.123, p=0.902). None of the non-words differed to the real words by more than 2 standard deviations (more than 5 bigrams) and the greatest difference was 6 occurrences of a bigram vs 1 occurrence of it. By ensuring that the lists are as similar as possible we have minimized the chance of any differences between performances on each list being down to factors other than the word/non-word distinction.

Outcome

The completed non-word list with corresponding Snodgrass words can be found in Table 1. The target phonemes that we used in the subsequent phoneme monitoring task are highlighted in bold (where applicable). It should be noted that whilst this list is matched and the bigram frequencies are such that there is no significant difference between the two lists, this is only the case when all 226 words are used. If exclusions are made in any work using them then a new bigram count must be taken to ensure that lists remain well matched.

S.NO.	Non-Word List	Non-Word List	S.NO.	Non-Word List	Non-Word List
1	əkɔːdiːən	əfa:diən	115	ba:skɪt	bæskəl
2	eərəpleın	aırəʊtreɪt	116	bæt	bon
3	ælīgeītə	ælaıkætə	118	beə	IC
4	æŋkə	ælka:	119	bed	pīd
5	ænt	elt	120	bi:	θα:
6	æpəl	лрәі	121	biːtəl	siːtəl
7	a:m	i:m	122	Bel	vīl
8	ærəʊ	eri:	123	belt	hent
9	a∶tɪtʃəʊk	æribo:k	124	baık	hi:k
10	æſtreɪ	æſtaːt	125	b3:d	beɪd
11	əspærəgəs	əspuːrərɒs	126	blaʊz	spɜ∶t∫
12	æks	keb	127	bʊk	dəʊk
13	bo:l	tʌl	128	bu:t	baʊn
14	bəlu:n	bəliːn	129	letad	bekəl
15	bənaːnə	ləmu:nə	130	baʊ	zei
16	ba:n	l:cv	131	baʊl	hol
18	bærəl	sa:rəl	132	boks	sınt
19	bred	stod	133	iːgəl	elgə
20	bru:m	flæm	134	IÐ	u:
21	br∧∫	fræ∫	135	elɪfənt	eməfens
22	bʌs	hes	136	envələʊp	enlədi:v
23	b∧təflaı	bensəfi:	137	аі	ອບ

Page 3 of 4

24	hiton	halaa	120	fana	nlin	60	ماماد	km=	176	noncol	nnnaal
24	DALAII		130	frage	famua	62	unk bolskonto	hamitalta	170	pensər	kongourn
25	Kelk	Səom	139	ilijgə	1ænvə	0.0	пенкорга	nemiteita	177	peŋgwin	kengsu.n
26	kæməi	seməl	140		tej	64	no:s	Iauv	178	рерә	рз:іә
27	kændəl	santəl	141	flæg		65	haʊs	n∧s	179	pi:ænə	тагәдай
28	kænən	maːnən	142	flavə	blavə	66	aıən	eıəm	180	pīg	pæb
29	kæp	qar	143	flu:t	meint	67	dʒækɪt	tjoket	181	paɪnæpəl	kaınæfəl
30	ka:	zaʊ	144	flaı	klaı	68	kæŋgəru:	sæŋgæki:	182	ратр	feəp
31	kærət	ſærɪt	145	fʊt	sa:t	69	ketəl	betəl	183	plaıəz	klaıəs
32	kæt	ket	146	fɔːk	gaīk	70	ki:	a:I	184	pl∧g	lont
33	kætəpīlə	kætəbs:gə	147	foks	swit	71	kaɪt	jok	185	pəteɪtəʊ	pīkeītə
34	seləri:	bīləni	148	frog	gra:l	72	naɪf	sa:f	186	pʌmpkɪn	pompkən
35	t∫eɪn	fep	149	d31ra:f	kıræf	73	lædə	taʊdə	187	ræbɪt	pæbɪt
36	t∫eə	tſeɪ	150	gla:s	smɪ∫	74	læmp	dala	188	rækuːn	sæku:n
37	tʃeri:	befi:	151	gla:sız	dreīsəs	75	li:f	wef	189	rainosərus	kraɪpɒkəbɑː
38	tʃɪkɪn	tſæzən	152	glʌv	stpθ	76	leg	qaw	190	rīŋ	va:n
39	t∫ısəl	∫æsəl	153	gaʊt	รลชท	77	lemən	tſæmən	191	ru:lə	gi∶lə
40	tʃɜːtʃ	na:∫	154	gərīlə	kərəʊtʃə	78	lepəd	luːpəd	192	solt	tolt
41	sīga:	ріда:	155	greips	drəʊks	79	letis	k3:rəs	193	sænwɪdʒ	sa:knɪtʃ
42	sīgəret	kīpəraud	156	gra:shopə	gresl3:pə	80	laıən	laiəl	194	SO:	ອບໄ
43	klok	stek	157	gīta:	ni:sa:	81	līps	slʌd	195	SIZƏS	dʌzəs
44	klaud	smed	158	gʌn	sæn	82	løbstə	døbstə	196	skru:	bliːf
45	klaʊn	bru:b	159	heə	o:n	83	lok	lo:k	197	skru:draīvə	t∫rıbdraıvə
46	kəʊt	h3:k	160	hæmə	tæmə	84	mɪtən	fɪtən	198	siho:s	keəhos
47	kəʊm	dʒek	161	hænd	spæd	85	mʌŋkiː	ræŋki:	199	su:tkeɪs	su∶lkæ∫
48	ko:n	fiːn	162	hæŋə	ta:nə	86	mu:n	t∫æn	200	s∧n	koz
49	kaʊt∫	гз:р	163	ha:p	tu:p	87	məʊtəbaɪk	ka:təpaɪk	201	swon	bræb
50	kaʊ	aʊn	164	hæt	sen	88	maʊntɪn	mu:nta:t	202	swetə	pliːtə
51	kraʊn	bræŋ	165	ha:t	lɪtʃ	89	maʊs	gaus	203	swiŋ	klaʊp
52	клр	Ілр	166	лnjən	ındən	90	m∧ʃruːm	k∧ʃtuːm	204	teɪbəl	pæbəl
53	dīə	θαυ	167	prind3	print∫	91	neɪl	maul	205	teləfəʊn	leməfeın
54	desk	l∧mf	168	ostrɪt∫	otript	92	nekləs	gekləs	206	teləvīʒən	feləsuːsən
55	gab	т∧р	169	aul	u:l	93	ni:dəl	widəl	207	θ∧m	θīm
56	lab	næl	170	peɪntbr∧∫	keɪntgr∧ſ	94	naʊz	beım	208	tai	θu:
57	doŋki:	monvei	171	pitſ	∫∧f	95	n∧t	gīk	209	taıgə	taɪdə
58	do:	Icb	172	pikok	du:ʃel	96	siːl	dʒa:l	210	təʊstə	ku:stə
59	dan:cb	ra:∫ob	173	pin∧t	pi:nɪl	97	ſi:p	ј з:р	211	taບ	hoi
60	dres	treɪdʒ	174	реә	na:	98	ʃɜːt	saʊt∫	212	təma:təʊ	bəma:tu:
61	dr∧m	slom	175	pen	hɪn	99	ʃu:	nəı	213	tu:θbr∧∫	kæŋbre∫

100	ska:t	plais	214	trein	prein
101	skʌŋk	trɪnk	215	tri:	tro:
102	sledʒ	gru:θ	216	tr∧k	blæt
103	sneıəl	flu:əl	217	trʌmpɪt	blempɪt
104	sneɪk	stæŋ	218	tɜːtəl	tɔːpəl
105	snəʊmæn	spaʊkæn	219	vmbrelə	vstrolə
106	sok	fek	220	va:s	baːs
107	spaɪdə	brīpə	221	vaɪəlɪn	baɪəʊmɪn
108	spuːn	troin	222	law	wæθ
109	skwɪrəl	skwɪrɪt	223	wo:təmelon	kotəmægən
110	sta:	tot∫	224	wel	pel
111	stuːl	prɪl	225	wi:l	ra:l
112	staʊv	krəʊt	226	windmil	wɪlmɪkt
113	stro:beri:	streɪbetʃi	227	wɪndəʊ	wændaʊ
114	-	-	228	zebrə	sībnə

 Table 1: The completed non-word list with corresponding Snodgrass words.

References

- 1. Snodgrass JG, Vanderwart M (1980) A standardized set of 260 pictures: norms for name agreement, image agreement, familiarity, and visual complexity. J Exp Psychol Hum Learn 6: 174-215.
- 2. Borowsky R, Masson ME (1996) Semantic ambiguity effects in word identification. J Exp Psychol Learn 22: 63-83.
- 3. Gibbs P, Van Orden GC (1998) Pathway selection's utility for control of word recognition. J Exp Psychol Hum Percept Perform 24: 1162-1187.
- 4. Gerhand S, Barry C (1999) Age-of-acquisition and frequency effects in speeded word naming. Cognition 73: B27-B36.
- 5. Ghyselinck M, Lewis MB, Brysbaert M (2004) Age of acquisition and the cumulative-frequency hypothesis: A review of the literature and a new multi-task investigation. Acta Psychologica 115: 43-67.
- 6. Keuleers E, Brysbaert M (2010) Wuggy: A Multilingual pseudoword denerator. Behaviour Research Methods 42: 627-633.

- 7. Jusczyk PW, Luce PA (1994) Infants' sensitivity to phonotactic patterns in the native language. J Mem Lang 33: 630-645.
- 8. Storkel HL (2001) Learning New Words Phonotactic Probability in Language Development. J Speech Lang Hear Res 44: 1321-1337.
- 9. Storkel HL (2003) Learning New Words II: Phonotactic Probability in Verb Learning. J Speech Lang Hear Res 46: 1312-1323.
- 10. Vitevitch MS, Armbruster J, Chu S (2004) Sublexical and lexical representations in speech production: effects of phonotactic probability and onset density. J Exp Psychol Learn Mem Cogn 30: 514-529.
- Vitevitch MS (2002) The influence of phonological similarity neighborhoods on speech production. J Exp Psychol Learn Mem Cogn 28: 735-747.
- Coady JA, Aslin RN (2004) Young children's sensitivity to probabilistic phonotactics in the developing lexicon. J Exp Child Psychology 89: 183-213.
- Edwards J, Munson B, Beckman M (2004) Nonword Repetition in Children with Phonological Disorders. Poster presentation at the Symposium for Research on Child Language Disorders, Madison, WI.
- Munson B, Kurtz BA, Windsor J (2005) The Influence of Vocabulary Size, Phonotactic Probability, and Wordlikeness on Nonword Repetitions of Children with and without Language Impairments. J Speech Lang Hear Res 48: 1033-1047.
- 15. Munson B, Babel ME (2005) The sequential cueing effect in children's speech production. Applied Psycholinguistics 26: 157-174.
- 16. Zamuner TS, Gerken L, Hammond M (2004) Phonotactic probabilities in young children's speech production. J Child Lang 31: 515-536.
- 17. Dell GS, Schwartz MF, Martin N, Saffran EM, Gagnon DA (1997) Lexical access in aphasic and nonaphasic speakers. Psychol rev 104: 801-838.
- Levelt WJM, Roelofs A, Meyer AS (1999) A theory of lexical access in speech production. Behav Brain Sci 22: 1-38.
- Schiller NO (2005) Verbal self-monitoring. In A. Cutler (Edn.) Twentyfirst century psycholinguistics: Four cornerstones, Mahwah NJ: Erlbaum pp. 245-261.
- 20. Coalson GA, Byrd CT (2015) Metrical Encoding in Adults Who Do and Do Not Stutter. J Speech Lang Hear Res 58: 601-621.
- 21. Ellis AW, Morrison CM (1998) Real age-of-acquisition effects in lexical retrieval. J Exp Psych: Learning Memory and Cognition 24: 515.
- 22. Funnell E, Sheridan J (1992) Categories of knowledge? Unfamiliar aspects of living and nonliving things. Cognitive Neuropsychology 9: 135-153.
- 23. Gilhooly K, Gilhooly M (1979) Age-of-acquisition effects in lexical and episodic memory tasks. Memory & Cognition 7: 214-223.
- Rastle K, Harrington J, Coltheart M (2002) 358,534 nonwords: The ARC Nonword Database. The Quarterly Journal of Experimental Psychology Section A 55: 1339-1362.