

Editorial

Open Access

Hops (*Humulus lupulus L.*) and Beer: Benefits on the Sleep

Javier Cubero Juanez*

Assistant Professor, Health Education Lab, University of Extremadura, Badajoz, Spain

The hop (*Humulus lupulus L.*), a plant used for brewing because of its aromatic characteristics, has also traditionally been used as a soothing agent. Its sedative activity lies mainly in its bitter acids, and in particular in their oxidative degradation products such as that resulting from the α-acid content: 2-methyl-3-butene-2-ol [1]. Other active components such as the flavonoid xanthohumol are added to degradation products such as 2-methyl-3-butene-2-ol [2], and the terpene, myrcenol [3]. The main mechanism of action of hops is to modulate the activity of the neurotransmitter γ-aminobutyric acid (GABA) through modulation of brain GABA(A) receptors [2]. The sedative effect of hops on the nervous system has been widely reported in research using animal models [1,4-7], as also has the narcotic effect at high concentrations due to the 2-methyl-3-butene-ol component [8,9].

Basic research on hops has found effective applications in the healthy human population as an aid to sleep [10,11]. In addition to its use in people with sleep problems, the sedative action associated with the components of hops has been used to correct temporary sleep onset and sleep interruption disorders in human populations with treatments applying a combination of valerian and hops [12,13]. Clinical trials with hops gave satisfactory results as the improvement of sleep quality in patients with insomnia is concerned [14], and in patients suffering from non-organic sleep disorder [15]. Above all, it is also known that both hops and other derivatives of beer can have impact on the inhibitory neurotransmitter GABA(A) [3].

In addition to the central nervous effects of hops as far as GABAergic neurotransmission is concerned, hops does also affect serotonin (5-HT), a further neurotransmitter involved in nocturnal sleep regulation [16]. Moreover, 5-HT is involved as regards the activation of the hormone melatonin, an endocrine agent that entrains circadian rhythms [16-18]. There are also effects of hops on the neuronal receptors of adenosine which are extensively involved in the mechanism of sleep [19]. Therefore, beer and its hop component are thought to enhance the CNS's neuroendocrine response via GABA, adenosine, and the biogenic amines serotonin and melatonin [20] with an effective sedative action that both modulates the sleep/wake rhythm and favours the induction of sleep [21-23].

In general, there is an initial rejection of the notion that beer may be linked to health because it is a drink that is presumed to cause overweight. However, the caloric content of normal beer is 45 kcal per 100 ml. The caloric content of non-alcoholic beer, which was used in the present study, was relatively low with 17 kcal per 100 ml. Research indicated that moderate daily ingestion of a one-third of a litre tin of beer in women and two tins in men did not produce any significant change in weight [24,25].

In fact, some properties of beer are thought to have a positive impact on human health. These are thought to be due to the effects of certain components, as for example the aforementioned flavonoid xanthohumol. This compound in particular is thought to fight and prevent cancer as it inhibits the metabolic activation of procarcinogens, induces the activation of anti-cancerogenous enzymes, and inhibits tumour growth in early stages [26,27]. Other actions of this particular flavonoid include its effective anti-inflammatory effect in inhibiting prostaglandin synthesis via the cyclooxygenases COX-1 and COX-2. Moreover its suppression of the expression of nitric oxide synthase (NOS) whose prolonged activation can trigger the production of vascular endothelial

growth factor (VEGF) has been reported [28]. A further property is its antioxidant activity since in vitro xanthohumol has been found more effective than α-tocopherol. Finally a decrease in the tissue damage risk marker, the amino acid homocysteine (HCY), was found. As regards the effects of moderate beer intake major anti-arteriosclerotic, anti-inflammatory, and anti-thrombotic effects have been reported [29].

A further component of beer is 8-prenylnaringenin, a phytoestrogen that acts beneficially on bone metabolism, increasing bone density in adults (both men and postmenopausal women), and is thus helpful in preventing or mitigating osteoporosis [30-33]. Beer can also act as an immuno modulator in healthy populations through an increase in leukocytes and T-lymphocyte subpopulations, with this effect being stronger in females than in males, and beer was also shown to be involved in the production of certain cytokines (IL-2,-4,-6,-10; IFN-γ; and TNF-α) and antibodies [24,25]. The β-bitter acids of the hops, together with myrcenol and xanthohumol, give beer its sedative effect, with their capacity to entrain circadian rhythms, favouring the induction of sleep.

Overall, there are components in beer that are thought to be beneficial to health, and some authors consider that some properties of beer could make it a candidate for possible use as a nutraceutical compound.

References

1. Zanolli P, Zavatti M (2008) Pharmacognostic and pharmacological profile of *Humulus lupulus L.* J Ethnopharmacol 116: 383-396.
2. Meissner O, Haberlein H (2006) Influence of xanthohumol on the binding behaviour of GABAA receptors and their lateral mobility at hippocampal neurons. Planta Med 72: 656-658.
3. Aoshima H, Takeda K, Okita Y, Hossain SJ, Koda H, et al. (2006) Effects of beer and hop on ionotropic γ-aminobutyric acid receptors. J Agric Food Chem. 54: 2514-151.
4. Bravo L, Cabo J, Fraile A, Jimenez J, Villar A (1974) Estudio farmacodinámico del lúpulo (*Humulus lupulus L.*). Acción tranquilizante. Boll Chim Farm. 113: 310-315.
5. Lee KM, Jung JS, Song DK, Krauter M, Kim HY (1993) Effects of *Humulus lupulus* extract on the central nervous system in mice. Planta Med 59: 691.
6. Zanolli P, Rivasi M, Zavatti M, Brusiani F, Baraldi M (2005) New insight in the neuropharmacological activity of *Humulus lupulus L.* J of Ethnopharmacol 102: 102-106.
7. Zanolli P, Zavatti M, Rivasi M, Brusiani F, Losi G, et al. (2007) Evidence that the B-acids fraction of hops reduces central GABAergic neurotransmission. J of Ethnopharmacol 109: 87-92.
8. Hänsel R, Wohlfart R, Coper H (1980) Sedative-hypnotic compounds in the exhalation of hops, II. Z Naturforsch C 35: 1096-1097.

*Corresponding author: Javier Cubero Juanez, Assistant Professor, Health Education Lab, University of Extremadura, Badajoz, Spain, Tel: 34-924-289300; E-mail: jcubero@unex.es

Received January 05, 2012; Accepted January 06, 2012; Published January 14, 2012

Citation: Juanez JC (2012) Hops (*Humulus lupulus L.*) and Beer: Benefits on the Sleep. J Sleep Disord Ther 1:e102. doi:10.4172/2167-0277.1000e102

Copyright: © 2012 Juanez JC. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

9. Wohlfart R, Hansel R, Schmidt H (1983) The sedative-hypnotic principle of hops. Pharmacology of the hop substance 2-methyl-3-but-en-ol. *Planta Med* 48: 120-123.
10. Dimpfel W, Suter A (2008) Sleep improving effects of a single dose administration of valerian/hops fluid extract-a double blind, randomized, placebo-controlled sleep-EEG study in parallel design using electrohypnograms. *Eur J Med Res* 26: 200-204.
11. Vonderheid-Guth B, Todorova A, Brattstrom A, Dimpfel W (2000) Pharmacodynamic effects of valerian and hops extract combination (Ze 91019) on the quantitative-topographical EEG in the healthy volunteers. *Eur J Med Res* 5:139-144.
12. Salter S, Brownie S (2010) Treating primary insomnia-the efficacy of valerian and hops. *Aust Fam Physician* 39: 433-437.
13. Schmitz M, Jackel M (1998) Comparative study for assessing quality of life of patients with exogenous sleep disorders (temporary sleep onset and sleep interruption disorders) treated with hops-valerian preparation and benzodiazepine drug. *Wien Med Wochnenschr* 148: 291-298.
14. Morin CM, Koetter U, Bastien C, Ware JC, Wooten V (2005) Valerian-hops combination and diphenhydramine for treating insomnia; a randomized placebo-controlled clinical trial. *Sleep*. 28:1465-1471.
15. Koetter U, Schrader E, Kaufeler R, Brattstrom A (2007) A randomized double blind, placebo-controlled, prospective clinical study to demonstrate clinical efficacy of fixed valerian hops extract combination (Ze 91019) in patients suffering from non-organic sleep disorder. *Phytother Res*. 21: 847-851.
16. Abourashed EA, Koetter U, Brattstrom A (2004) In vitro binding experiments with a Valerian, Hops and their fixed combination extract (Ze91019) to selected central nervous system receptor. *Phytomedicine* 11: 633-638.
17. Maldonado MD, Moreno H, Calvo JR (2009) Melatonin present in beer contributes to increase the levels of melatonin and antioxidant capacity of the human serum. *Clin Nutr* 28: 188-191.
18. Weeks BS (2009) Formulations of dietary supplements and herbal extracts for relaxation and anxiolytic action: Relarian. *Med Sci Monit*. 15: 256-262.
19. Schellenberg R, Sauer S, Abourashed EA, Koetter U, Brattstrom A (2004) The fixed combination of valerian and hops (Ze91019) acts via a central adenosine mechanism. *Planta Med* 70: 594-597.
20. Cubero J, Narciso D, Terrón P, Rial R, Esteban S, et al. (2007) Chrononutrition applied to formula milks to consolidate infants' sleep/wake cycle. *Neuro Endocrinol Lett*. 28: 360-366.
21. Sanchez CL, Franco L, Bravo R, Rubio C, Rodriguez AB, et al. (2010) Cerveza y salud, beneficios sobre el sueño. *Rev Esp Nutr Comunitaria* 16: 160-163.
22. Bravo R, Franco LF, Sánchez C, Rodríguez AB, Barriga C, et al. (2011) The sedative effects of hop (*Humulus lupulus*), a component of beer, in the rhythm of activity / rest. Proceeding of the 11th European Nutrition Conference FENS, Madrid, Spain.
23. Bravo R, Franco LF, Sánchez C, Romero E, Barriga C, et al. (2011) The sedative effect of hop (*Humulus lupulus*), a component of beer, in a stressed population. Proceeding of the 11th European Nutrition Conference FENS, Madrid, Spain.
24. Romeo J, Warnberg J, Nova E, Diaz LE, González-Gros M, et al. (2007) Changes in the immune system after moderate beer consumption. *Ann Nutr Metab* 51: 359-366.
25. Romeo J, Warnberg J, Diaz LE, Gonzalez-Gross M, Marcos A (2007) Effect of moderate beer consumption on first-line immunity of healthy adults. *J Physiol Biochem* 63: 153-159.
26. Stevens JF, Page JE (2004) Xanthohumol and related prenylflavonoids from hops and beer: to your good health. *Phytochemistry* 65: 1317-1330.
27. Monteiro R, Calhau C, Silva AO, Pinheiro-Silva S, Guerreiro S, et al. (2008) Xanthohumol inhibits inflammatory factor production and angiogenesis in breast cancer xenografts. *J Cell Bioch* 104: 1699-1707.
28. Figard H, Girard C, Mougin F, Demougeot C, Berthelot A (2008) Effects of aqueous hop (*Humulus Lupulus L.*) extract on vascular reactivity in rats: mechanisms and influence of gender and hormonal status. *Phytomedicine* 15: 185-193.
29. Magalhães PJ, Carvalho DO, Cruz JM, Guido LF, Barros AA (2009) Fundamentals and health benefits of xanthohumol, a natural product derived from hops and beer. *Nat Prod Commun*. 4: 591-610.
30. Milligan S, Kalita J, Pocock V, Heyrick A, De Cooman L, et al. (2002) Oestrogenic activity of the hop phyto-oestrogen 8-prenylnaringenin. *Reproduction* 123: 235-242.
31. Rosenblum ER, Campbell M, Van Thiel D, Gavaler JS (1993) Isolation and identification of phytoestrogens from Beer. *Alcohol Clin Exp Res* 17: 1207-1209.
32. Tucker KL, Jugdaohsing R, Powell JJ, Qiao N, Hannan MT, et al. (2009) Effects of beer, wine, and liquor intakes on bone mineral density in older men and women. *Am J Clin Nutr*. 89: 1188-1196.
33. Pedrera-Zamorano JD, Lavado-Gracia JM, Roncero-Martin R, Calderon-Gracia JF, Rodriguez-Dominguez T, et al. (2009) Effect of beer drinking on ultrasound bone mass in women. *Nutrition* 25: 1057-1063.
34. Romero J, Gonzalez-Gross M, Warnberg J, Diaz LE, Marcos A (2007) Does beer have an impact on weight gain? Effects of moderate beer consumption on body composition. *Nutr Hosp*. 22: 223-228.
35. Schiller H, Foster A, Vonhoff C, Hegger M, Biller A, et al. (2006) Sedating effects of *Humulus lupulus L* extract. *Phytomedicine*. 13: 535-541.
36. Mellman TA (2006) Sleep and anxiety disorders. *Psychiatr Clin North Am*. 29: 1047-1058.