

Open Access

Impact of Automobile Traffic and Waste Dump on Heavy Metal Concentrations in Soil of Aba Metropolis; Implication for Cassava Production

Ochuba CO1* and Nduji AA²

Short Communication

¹Department of Soil science, National Root Crops Research Institute, Umudike Abia State Nigeria ²Department of industrial chemistry, Enugu State University of Science and Technology, Enugu State, Nigeria

Abstract

Analysis for heavy metals (Pd, Co, Zn, Co, Ni, and Cu) was done on soils near road traffic and waste dump site at Aba metropolis. The result shows that the mean values (PPM) for the elements analyzed were Pb-26.11, Cd-4.07, Zn-47.18, Cr-43.9, Co-29.34, Ni-15.88 and Cu-51.48. The values were not up to the critical valves though vehicular traffic and waste dumping increased the presence of Pb, Co, Zn, Co and Ni in soil.

Keywords: Heavy metals; Vehicular traffic; Waste dump site; Soil

Introduction

Heavy metals are known to be toxic when in excess of threshold values and contribute to environmental pollution. The accumulation of heavy metals in an area may be due to farming methods, industrial effluent and emissions from vehicles antimony, phosphorus, arsenic, lead chromium, and mercury can be introduced into the environment by the use of pesticides, fertilizers and herbicides [1-5]. Some of the metals e.g. lead found on the roadside soils, vegetation and close by surfaces are discharged from automobiles [6]. The aim of this research was to assess the heavy metal pollution of the soils of Aba metropolis.

Materials and Methods

Five different soils sites were choose based on the information available on the relative traffic densities in the areas and were grouped into:

- 1. Site A: Soils in some villages in Aba environs (control).
- 2. Site B: Soil around environs with Aba environs with traffic densities above 1000 vehicles every 5 hours.
- 3. Site C: Soils in location with traffic densities between 250 and 1000 vehicles every 5 hours.
- 4. Site D: soils in locations with traffic densities lower than 250 vehicles every 5 hours.
- 5. Site E: Soils in areas used as solid waste disposal sites.

The soil samples were collected at depth of depth of 0-15 cm and was digested using the wet digestion method $(HNO_2/HClO_4)$ and the filtrate analyzed for various heavy metals using atomic absorption spectrophotometer [7-10]. Analysis of variance was used to evaluate the heavy metal effect the means compared at 5% level of probability using the least significance difference.

Results and Discussions

The heavy metal concentration in soil is as shown in Table 1. The result shows that emission from vehicular traffic (sites B, C, D) and dumping of refuse (site E) polluted the soils compared with control site I. it was observed that soils in sites B, C, D and E has higher values of Cd, Zn, Co, and Ni, when compared with waste dump sites, the sites near road traffic had less value of Cr, Ni and Co. the sites with less vehicular traffic such as sites C and D have higher value of Pb, Zn and Cr than dump site [11,12]. This result shows that waste dump and vehicular traffic caused an increase in heavy metal pollution as shown

| Site | Pb | Cd | Zn | Cr | Co | Ni | Cu |
|-------------|----------|---------|----------|---------|---------|----------|-------|
| а | 11.00 b | 1.64 b | 18.90 b | 44.50 a | 20.70 a | 11.70 a | 53 |
| b | 20.84 a | 4.20 ab | 43.20 ab | 41.41 a | 28.50 a | 14.51 a | 51.15 |
| С | 26.40 ab | 3.90 ab | 74.60 a | 36.50 a | 33.00 a | 18.12 ab | 52.1 |
| d | 38.21 ab | 3.31 ab | 55.00 ab | 46.00 a | 34.78 a | 12.21 a | 50.04 |
| е | 34.11 ab | 7.32 a | 44.20ab | 51.51 | 29.73 a | 22.03 ab | 51.1 |
| Toxic level | 100 | 5 | 300 | 100 | 50 | 100 | 100 |

Table 1: Heavy metal concentration (Ng/g) of the soils at Aba, Nigeria

by the increase in concentration of Pb, Cd, Zn, Co and Ni. Although the values accorded for these elements were below the critical levels (WHO standard). Values with same superscript are not significantly different as shown by Duncan multiple range tests [13].

Conclusion

Generally, the concentrations of the heavy metals analyzed where not above the critical levels for soils though the concentration of Cd in soil from dump site (site E) was a little above the critical level which may affect production of crops like cassava planted around the dump side negatively. From the findings of this research, it is important for the concentrations of toxic heavy metals such as Pb, Zn, and Cd in soils near roads and dump site to be monitored consistently so as to detect their toxicity enough.

References

- 1. Frink CR (1996) A perspective of metals in soils. J Soil Contamin 5: 329-359.
- Olajire AA, Ayodele ET (1997) Contamination of roadside soil and grass with heavy metals. Environ Internat 23: 91-101.
- Juo ASR (1990) Selected methods for soil and plant analysis. Ibadan, Nigeria. pp: 51.
- Galitskova YM, Murzayeva AI (2016) Urban soil contamination. Procedia Eng 153: 162-166.

*Corresponding author: Chinedu Obioma Ochuba, Department of Soil science, National Root Crops Research Institute, Umudike Abia State Nigeria, Tel: +088220188; E-mail: Obismo2007@yahoo.com

Received August 26, 2017; Accepted June 05, 2018; Published June 11, 2018

Citation: Ochuba CO, Nduji AA (2018) Impact of Automobile Traffic and Waste Dump on Heavy Metal Concentrations in Soil of Aba Metropolis; Implication for Cassava Production. J Pollut Eff Cont 6: 222. doi: 10.4172/2375-4397.1000222

Copyright: © 2018 Ochuba CO, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Citation: Ochuba CO, Nduji AA (2018) Impact of Automobile Traffic and Waste Dump on Heavy Metal Concentrations in Soil of Aba Metropolis; Implication for Cassava Production. J Pollut Eff Cont 6: 222. doi: 10.4172/2375-4397.1000222

Page 2 of 2

- James BR, Petura JC, Vitale RJ, Mussoline GR (1997) Oxidation-reduction chemistry of chromium: relevance to the regulation and remediation of chromate-contaminated soils. J Soil Contamin 6: 569-580.
- Aimana U, Mahmood A, Waheeda S, Malik RN (2016) Enrichment, geoaccumulation and risk surveillance of toxic metals for different environmental compartments from Mehmood Booti dumping site, Lahore city, Pakistan. Chemosph 144: 2229-2237.
- Kartal S, Aydin Z, Tokalioğlu S (2006) Fractionation of metals in street sediment samples by using the BCR sequential extraction procedure and multivariate statistical elucidation of the data. J Hazard Mater 132: 80-89.
- Järup L (2003) Hazards of heavy metal contamination. British Med Bullet 68: 167-182.
- 9. Khana S, Cao Q, Zhenga YM, Huang YZ, Zhu YG (2008) Health risks of

heavy metals in contaminated soils and food crops irrigated with wastewater in Beijing, China. Environ Pollut 152: 686-692.

- Alkorta I, Hernández-Allica J, Becerrill JM, Amezaga I, Albizu I (2004) Recent findings on the phytoremediation of soils contaminated with environmentally toxic heavy metals and metalloids such as zinc, cadmium, lead, and arsenic. Review Environ Sci Biotechnol 3: 71-90.
- 11. Li X, Poon C, Liu PS (2001) Heavy metal contamination of urban soils and street dusts in Hong Kong. Appl Geochem 16: 1361-1386.
- Sharmaa RK, Agrawal M, Marshall F (2007) Heavy metal contamination of soil and vegetables in suburban areas of Varanasi, India. Ecotoxicol Environ Safety 66: 258-266.
- Lokeshwari H, Chandrappa GT (2006) Impact of heavy metal contamination of Bellandur Lake on soil and cultivated vegetation. Environ Internat 29: 529-540.