



LINEAMENTARY PROCESSING IN THE WESTERN PART OF THE SENEGAL SED-IMENTARY BASIN FROM LANDSAT SATELLITE.

Malick FAYE

Diop university of Dakar, Senegal

Abstract:

A new cartographic study based on the linear processing of the satellite images of Landsat 8 was carried out in the peninsula of Cape Verde and Thiès (western part of the Senegalese Sedimentary basin). Processing techniques such as RGB tri-color combinations (5-4-3), (7-4-2), (4-5-7), (7-5-3), band ratios or band ratios (1/2-1/3-1/6), (1/3-5/7-3/5), $(\frac{1}{4}-1/5-1/6)$, (1/3-1/4-1/5) and directional filtering using the Sobel filter were carried out in order to better discern the different geological structures, particularly the lineaments. This series of image processing which led to geological extraction by satellite tele-analysis combined with pre-existing structural data made it possible to update the map linearly, to highlight a large number of "offshore" faults and volcanic cones . Four families of lineaments corresponding to faults have been identified: NS, NNE-SSW, NW-SE, NE-SW. The lineaments NS and NNE-SSW correspond respectively to the direction of the meridian and sub meridian faults. The NW-SE, NE-SW Linearities are characterized by normal faults.

Publication of speakers:

 Massila W. Senghor, Malick N. Faye, Babacar Faye, et al: Ecology of Phlebotomine Sand Flies in the Rural Community of Mont Rolland (Thiès Region, Senegal): Area of Transmission of Canine Leishmaniasis. March 21, 2011: 10.1371/journal.pone.0014773



- 2. David Meless, Boubacar Ba, Malick Faye, et al: Oral lesions among HIVlinfected children on antiretroviral treatment in West Africa. January 2014: 10.1111/tmi.12253
- 3. Jérome Depaquit, Hubert Ferté, Malick Ndao Faye, et al: Transmission of Leishmania infantum in the Canine Leishmaniasis Focus of Mont-Rolland, Senegal: Ecological, Parasitological and Molecular Evidence for a Possible Role of Sergentomyia Sand Flies. November, 2016: 10.1371/journal.pntd.0004940
- 4. MalickFaye, Mamadou FallouBa, Papa Malick Ngom, et al: Lithological architecture and petrography of the Mako Birimian greenstone belt, Kédougou-Kéniéba Inlier, eastern Senegal. July 2017: 10.1016/j.jafrearsci.2017.04.005
- 5. Tom A.B. Snijders, Malick Faye, Julien Brailly et al; Network dynamics with a nested node set: Sociability in seven villages in Senegal. April 2020: 10.1111/ stan.12208

Webinar On Earth & Planetary Science | July 22, 2020 | Toronto, Canada

Citation: Malick FAYE; LINEAMENTARY PROCESSING IN THE WESTERN PART OF THE SENEGAL SEDIMENTARY BASIN FROM LANDSAT SATELLITE.; Geology 2020; July 22, 2020; Toronto, Canada