

Perinatal Hypothyroidism and Cytoskeleton Dysfunction

Ahmed RG*

Division of Anatomy and Embryology, Zoology Department, Faculty of Science, Beni-Suef University, Egypt

*Corresponding author: Ahmed RG, Division of Anatomy and Embryology, Zoology Department, Faculty of Science, Beni-Suef University, Beni-Suef, Egypt, Tel: 002-010-91471828; E-mail: ahmedragab08@gmail.com

Received date: July 25, 2017; Accepted date: August 10, 2017; Published date: August 20, 2017

Copyright: © 2017 Ahmed RG. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Letter to Editor

Thyroid hormones (THs) are necessary for normal development particularly cytoskeletal system. Cytoskeletal system which consists of microtubules (Tubulin), microfilaments (Actin), and intermediate filaments, specific for neurons (Neurofilaments), glia (Glial Fibrillary Acidic Protein), or maturing cells (Vimentin, Nestin) can play important roles in neural cell shape and neuronal migration and outgrowth [1-40]. THs regulate and reorganize this system by non-genomic actions. Moreover, THs regulate the expression of extracellular matrix (ECM) and adhesion molecules that are important for neuronal migration and development, such as tenascin-C, neural cell adhesion molecule (N-CAM), reelin and *dab1*, laminin and fibronectin. Maternal THs controls the expression of neuronal migration and growth, branching of neurites, astrocytic cytoskeletal proteins, cell cycle regulators, neurotrophins and neurotrophin receptors and extracellular matrix proteins in the fetal brain [41-45].

In maternal hypothyroidism, there was reduction in the expression of GFAP protein in fetal brain in late gestation. In neonatal hypothyroid rats, the actin fibers are disorganized in brain (cerebellum). Also, the disruptions of laminin and developing cerebellum of hypothyroid rats were observed by Farwell et al. [40-45]. This alters the development of cellular cytoskeleton, synthesis of microtubule protein, axonal transport, neuronal outgrowth and neuronal behavior. These abnormalities might be attributed to the abnormalities in the development of cellular cytoskeleton (stabilization and composition of microtubule protein and in the delivery of cytoskeletal proteins to developing terminals via the slow component of axonal transport [40-48]. In parallel, the early postnatal hypothyroidism in rats raises both RNA and protein levels of tenascin-C in cerebellar Bergmann glia. On the other hand, Evans et al. [40] reported that maternal hyperthyroidism changes the expression of neuronal cytoskeletal proteins and accelerate the fetal neuronal differentiation. In agreement with this result, hypothyroidism reduced the matrix glia protein (MGP) mRNA levels while hyperthyroidism upregulated the MGP gene [34]. Moreover, the neurotrophins, in particular brain-derived neurotrophic factor (BDNF), are important in the course of development and are reduced in hypothyroidism [48-50] and increased in hyperthyroidism [30]. Also, T4 inhibits the activity of deiodinase 2 (D2) at the post-translational level including the microfilaments (Actin) [50]. The window of time for TH-dependent regulation of these processes is limited to pre- and perinatal life in rodents [42-45] neuronal cytoskeleton and neuronal growth either by affecting the developmental programs for expression of specific isoforms [50-59]. Thus, I may infer that thyroid disorders during the development can disrupt the cytoskeleton system, mitochondrial functions and gene expression. Further work is therefore required to determine whether normalization of circulatory THs levels can prevent the disturbance of fetal brain cytoskeletal protein expression.

Conflict of Interest

The author declares that no competing financial interests exist.

References

1. Abalovich M, Llesuy S, Gutierrez S, Repetto M (2003) Peripheral parameters of oxidative stress in Graves' disease: the effects of methimazole and 131 iodine treatments. *Clin Endocrinol* 59: 321-327.
2. Adali M, Inal-Erden M, Akalin A, Efe B (1999) Effects of propylthiouracil, propranolol, and vitamin E on lipid peroxidation and antioxidant status in hyperthyroid patients. *Clin Biochem* 32: 363-367.
3. Ademoğlu E, Ozbey N, Erbil Y, Tanrikulu S, Barbaros U, et al. (2006) Determination of oxidative stress in thyroid tissue and plasma of patients with Graves' disease. *Eur J Intern Med* 17: 545-550.
4. Ahmed OM, Abd El-Tawab SM, Ahmed RG (2010) Effects of experimentally induced maternal hypothyroidism and hyperthyroidism on the development of rat offspring: I- The development of the thyroid hormones-neurotransmitters and adenosinergic system interactions. *Int J Dev Neurosci* 28: 437-454.
5. Ahmed OM, Ahmed RG (2012) Hypothyroidism. In *A New Look At Hypothyroidism*. Dr. D. Springer (Ed.), ISBN: 978-953-51-0020-1, In Tech Open Access Publisher, Chapter 1: 1-20.
6. Ahmed OM, Ahmed RG, El-Gareib AW, El-Bakry AM, Abd El-Tawaba SM (2012) Effects of experimentally induced maternal hypothyroidism and hyperthyroidism on the development of rat offspring: II-The developmental pattern of neurons in relation to oxidative stress and antioxidant defense system. *Int J Dev Neurosci* 30: 517-537.
7. Ahmed OM, El-Gareib AW, El-bakry AM, Abd El-Tawab SM, Ahmed RG (2008) Thyroid hormones states and brain development interactions. *Int J Dev Neurosci* 26: 147-209.
8. Ahmed RG (2011) Perinatal 2, 3, 7, 8-tetrachlorodibenzo-p-dioxin exposure alters developmental neuroendocrine system. *Food Chem Toxicology* 49: 1276-1284.
9. Ahmed RG (2012) Maternal-newborn thyroid dysfunction. In *The Developmental Neuroendocrinology*. Ed Ahmed RG Germany: LAP LAMBERT Acad GmbH and Co KG p: 1-369.
10. Ahmed RG (2012) Maternal-Fetal Thyroid Interactions, Thyroid Hormone, Agrawal NK (Ed). In *Tech Open Access* 5: 125-156.
11. Ahmed RG (2013) Early weaning PCB 95 exposure alters the neonatal endocrine system: thyroid adipokine dysfunction. *J Endocrinol* 219: 205-215.
12. Ahmed RG (2014) Editorial: Do PCBs modify the thyroid-adipokine axis during development? *Annals Thyroid Res* 1: 11-12.
13. Ahmed RG (2015) Hypothyroidism and brain development. In *Advances in Hypothyroidism Treatment*. Avid Science Borsigstr p: 1-40.
14. Ahmed RG (2015) Hypothyroidism and brain developmental players. *Thyroid Research J* 8: 1-12.
15. Ahmed RG (2015) Editorials and Commentary: Maternofetal thyroid action and brain development. *J of Advances in Biology* 7: 1207-1213.
16. Ahmed RG (2016) Gestational dexamethasone alters fetal neuroendocrine axis. *Toxicology Letters* 258: 46-54.

17. Ahmed RG (2016) Neonatal polychlorinated biphenyls-induced endocrine dysfunction. *Ann Thyroid Res* 2: 34-35.
18. Ahmed RG (2016) Maternal iodine deficiency and brain disorders. *Endocrinol Metab Syndr* 5: 223.
19. Ahmed RG (2016) Maternal bisphenol A alters fetal endocrine system: Thyroid adipokine dysfunction. *Food Chem Toxicol* 95: 168-174.
20. Ahmed RG, Abdel-Latif M, Ahmed F (2015b) Protective effects of GM-CSF in experimental neonatal hypothyroidism. *Intern Immunopharmacol* 29: 538-543.
21. Ahmed RG, Abdel-Latif M, Mahdi E, El-Nesr, K (2015a) Immune stimulation improves endocrine and neural fetal outcomes in a model of maternofetal thyrotoxicosis. *Int Immunopharmacol* 29: 714-721.
22. Ahmed RG, Davis PJ, Davis FB, De Vito P, Farias RN, et al. (2013b) Nongenomic actions of thyroid hormones: from basic research to clinical applications. *An update Immunology, Endocrine and Metabolic Agents in Medicinal Chem* 13: 46-59.
23. Ahmed RG, El-Gareib AW (2014) Lactating PTU exposure: I- Alters thyroid-neural axis in neonatal cerebellum. *Eur J of Biol and Medical Sci Res* 2: 1-16.
24. Ahmed RG, El-Gareib AW (2017) Maternal carbamazepine alters fetal neuroendocrine-cytokines axis. *Toxicology* 382: 59-66.
25. Ahmed RG, El-Gareib AW, Incerpi S (2014) Lactating PTU exposure: II- Alters thyroid-axis and prooxidant-antioxidant balance in neonatal cerebellum. *Int Res J of Natural Sci* 2: 1-20.
26. Ahmed RG, Incerpi S (2013) Gestational doxorubicin alters fetal thyroid-brain axis. *Int J Devl Neurosci* 31: 96104.
27. Ahmed RG, Incerpi S, Ahmed F, Gaber A (2013a) The developmental and physiological interactions between free radicals and antioxidant: Effect of environmental pollutants. *J of Natural Sci Res* 3: 74-110.
28. Alvarez-Dolado M, Gonzalez-Sancho JM, Bernal J, Munoz A (1998) Developmental expression of tenascin-C is altered by hypothyroidism in the rat brain. *Neurosci* 84: 309-322.
29. Alvarez-Dolado M, Ruiz M, Del Rio JA, Alcantara S, Burgaya F, et al. (1999) Thyroid hormone regulates reelin and dab1 expression during brain development. *Neurosci* 19: 6979-6993.
30. Bernal J (2011) Thyroid hormone transport in developing brain. *Curr Opin Endocrinol Diabetes Obes* 18: 295-299.
31. Bernal J (2005) The significance of thyroid hormone transporters in the brain. *Endocrinol* 146: 1698-1700.
32. Bernal J, Guadano-Ferraz A, Morte B (2015) Thyroid hormone transporters-functions and clinical implications. *Nat Rev Endocrinol* 11: 406-417.
33. Camboni D, Roskoden T, Schwegler H (2003) Effect of early thyroxine treatment on brain-derived neurotrophic factor mRNA expression and protein amount in the rat medial septum/diagonal band of Broca. *Neurosci Lett* 350: 141-144.
34. Candelotti E, De Vito P, Ahmed RG, Luly P, Davis PJ (2015) Thyroid hormones crosstalk with growth factors: Old facts and new hypotheses. *Immun Endoc and Metab. Agents in Med Chem* 15: 71-85.
35. Dasgupta A, Das S, Sarkar PK (2007) Thyroid hormone promotes glutathione synthesis in astrocytes by up regulation of glutamate cysteine ligase through differential stimulation of its catalytic and modulator subunit mRNAs. *Free Radic Biol Med* 42: 617-626.
36. De Vito P, Candelotti E, Ahmed RG, Luly P, Davis PJ, et al. (2015) Role of thyroid hormones in insulin resistance and diabetes. *Immun Endoc and Metab Agents in Med. Chem* 15: 86-93.
37. DL SG, Galton VA (1997) The deiodinase family of selenoproteins. *Thyroid* 7: 655-668.
38. El-bakry AM, El-Ghareeb AW, Ahmed RG (2010) Comparative study of the effects of experimentally-induced hypothyroidism and hyperthyroidism in some brain regions in albino rats. *Int J Dev Neurosci* 28: 371-389.
39. El-Ghareeb AA, El-Bakry AM, Ahmed RG, Gaber A (2016) Effects of zinc supplementation in neonatal hypothyroidism and cerebellar distortion induced by maternal carbimazole. *Asian J of Applied Sci* 4: 1030-1040.
40. Evans IM, Pickard MR, Sinha AK, Leonard AJ, Sampson DC, et al. (2002) Influence of maternal hyperthyroidism in the rat on the expression of neuronal and astrocytic cytoskeletal proteins in fetal brain. *Endocrinol* 175: 597-604.
41. Farwell AP, Dubord-Tomasetti SA (1999) Thyroid hormone regulates the expression of laminin in the developing rat cerebellum. *Endocrinol* 140: 4221-4227.
42. Farwell A, Leonard J (1992) Dissociation of actin polymerization and enzyme inactivation in the hormonal regulation of type II iodothyronine 5'-deiodinase activity in astrocytes. *Endocrinol* 131: 721-728.
43. Farwell A, Safran M, Dubord S, Leonard J (1996) Degradation and recycling of the substrate-binding subunit of type II iodothyronine 5'-deiodinase in astrocytes. *J Biol Chem* 271: 16369-16374.
44. Farwell AP, Dubord-Tomasetti SA, Pietrzykowski AZ, Stachelek SJ, Leonard JL (2005) Regulation of cerebellar neuronal migration and neurite outgrowth by thyroxine and 3,3',5'-triiodothyronine. *Dev Brain Res* 154: 121-135.
45. Fellous A, Lennon AM, Francon J, Nunez J (1979) Thyroid hormones and neurotubule assembly in vitro during brain development. *Eur J Biochem* 101: 365-376.
46. Iglesias T, Caubin J, Stunnenberg HG, Zaballos A, Bernal J, et al. (1996) Thyroid hormone-dependent transcriptional repression of neural cell adhesion molecule during brain maturation. *EMBO J* 15: 4307-4316.
47. Incerpi S, Hsieh MT, Lin HY, Cheng GY, De Vito P (2014) Thyroid hormone inhibition in L6 myoblasts of IGF-I-mediated glucose uptake and proliferation: new roles for integrin $\alpha\beta 3$. *Am J Physiol Cell Physiol* 307: C150-C161.
48. Koibuchi N, Yamaoka S, Chin WW (2001) Effect of altered thyroid status on neurotrophin gene expression during postnatal development of the mouse cerebellum. *Thyroid* 11: 205-210.
49. Leonard JL, Farwell AP (2006) Cytoskeletal actions of iodothyronines. *Hot thyroidology*.
50. Martinez R, Gomes FCA (2002) Neuritogenesis induced by thyroid hormone-treated astrocytes is mediated by epidermal growth factor/mitogen activated protein kinase-phosphatidylinositol 3-kinase pathways and involves modulation of extracellular matrix proteins. *J Biol Chem* 277: 49311-49318.
51. Porterfield SP (2000) Thyroidal dysfunction and environmental chemicals potential impact on brain development. *Environ Health Perspect* 108: 433-438.
52. Sampson D, Pickard MR, Sinha AK, Evans IM, Leonard AJ, et al. (2000) Maternal thyroid status regulates the expression of neuronal and astrocytic cytoskeletal proteins in the fetal brain. *Endocrinol* 167: 439-445.
53. Sinha RA, Pathak A, Kumar A, Tiwari M, Shrivastava A, et al. (2009) Enhanced neuronal loss under perinatal hypothyroidism involves impaired neurotrophic signaling and increased proteolysis of p75(NTR). *Mol Cell Neurosci* 40: 354-364.
54. Sui L, Ren WW, Li BM (2010) Administration of thyroid hormone increases reelin and brain-derived neurotrophic factor expression in rat hippocampus in vivo. *Brain Res* 1313: 9-24.
55. Stachelek SJ, Kowalik TF, Farwell AP, Leonard JL (2000) Myosin V plays an essential role in the thyroid hormone-dependent endocytosis of type II iodothyronine 5'-deiodinase. *J Biol Chem* 275: 31701-31707.
56. Stein SA, Adams PM, Shanklin DR, Mihailoff GA, Palnitkar MB (1991) Thyroid hormone control of brain and motor development: molecular, neuroanatomical, and behavioral studies. In: Bercu B, Shulman D (Eds.) *Advances in Perinatal Thyroidology* p: 47-105.
57. Tessier-Lavigne M, Goodman CS (1996) The molecular biology of axon guidance. *Science* 274: 1123-1133.
58. Trentin AG, Mendes de Aguiar CBN, Garcez RC, Alvarez-Silva M (2003) Thyroid hormone modulates the extracellular matrix organization and

- expression in cerebellar astrocyte: effects on astrocyte adhesion. *Glia* 42: 359-369.
59. Van Herck SLJ, Geysens S, Bald E, Chwatko G, Delezie E, et al. (2013) Maternal transfer of methimazole and effects on thyroid hormone availability in embryonic tissues. *Endocrinol* 218: 105-115.