

Research Article

Route Choice Strategy in Traffic Network and Routing Strategy in Communication Network

Bo-Kui Chen1*, Ya-Chun Gao² and Wen-Ting Li³

¹School of Computing, National University of Singapore, Singapore ²School of Physical Electronics, University of Electronic Science and Technology of China, Chengdu, China ³Faculty of Information Technology, Macau University of Science and Technology, Macau

Abstract

Both traffic networks and communication networks play increasingly significant roles in our daily life. They have similar function of transportation, thus are associated in the study of route strategies. In this paper, we first introduce the similarities and differences between traffic network and communication network, and then review briefly the study of route choice strategies in traffic networks and routing strategies in communication networks as well as their algorithms. Finally, we conclude that those route choice strategies and corresponding algorithms based on the global traffic information are more valid for traffic networks, while for communication networks, those routing strategies and algorithms based on the local information are more efficient.

Keywords: Route choice strategy; Traffic network; Intelligent transportation systems; Routing strategy; Communication network

Introduction

Traffic networks and communication networks, the two integral parts of urban infrastructure, have many common characteristics. For example, they both are carriers for transporting agents, as traffic network is a carrier for running vehicles and communication network for transmitting the information packages. Besides, in both networks, the transportation efficiency and congestion problems are crucial issues. In traffic network, the running efficiency of vehicles in city road and traffic jam have attracted heavy research interests from scientists, and in communication network, scientists also focus on the efficiency of transmitted information package and its congestion. In addition, the agents carried by these two networks run with some strategy. In intelligent transportation systems, vehicles move along the path from origin to destination according to rout guidance information, which is produced by the route choice strategy, and information packages in communication are trans- mitted based on a routing strategy.

In recent decades, amount of routing strategies have been proposed by scientists and applied in our real life, both for traffic networks [1-10] and for communication networks [11-16]. In this paper, we firstly introduce the differences between the properties of traffic networks and communication networks, and then review the routing strategies in traffic networks and communication networks and their algorithms, respectively. Finally, we draw conclusions in the last section.

Differences Between Traffic Networks and Communication Networks

Despite of similar function of traffic and communication networks, there are three major distinctions between them (Table 1). Firstly, the natures are different. The traffic network is a static network, whose structure could not change over an extended time. Communication network, on the other hand, is a dynamic network, whose topology keeps on changing all the time, because new nodes joining. Secondly, there are significant quantitative differences be- tween their sizes. The number of intersections is usually less than 10 thousand in an urban traffic network, while in a communication network, the number of nodes is more than one hundred million in general, and growing exponentially with time. Thirdly, when set up a route strategy of the two networks, different factors are need to be considered, which should cover vehicles, road and human beings in traffic networks, while in communication network only involves the information of the node, such as degree, delivering capability, and the number of packets on a node. Due to these differences, the according routing strategies should be considered variously. Next, we will first review the route choice strategy in traffic network in the following section.

Route Choice Strategy in Traffic Networks

There are dozens of route choice strategies for traffic systems, including travel time route choice strategy [1], mean velocity route choice strategy [2], congestion coefficient route choice strategy [3], piecewise function route choice strategy [4], vacancy length route choice strategy [5], flux information route choice strategy [6], exponential function route choice strategy [7], beltway route choice strategy [8] and so on. However, these strategies are proposed on the basis of one-dimensional traffic network, which differs greatly from urban traffic system. In 2011, Li et al. proposed a local algorithm using local traffic information, and applied it to the mean velocity route choice strategy in a two-dimensional traffic network. In their model, vehicles move along the shortest path, and if there are more than one shortest paths, vehicles will choose a road with the largest average speed to next intersection. Li et al. verified that this algorithm is more efficient than the shortest path strategy. Further in 2016, Chen et al. applied this algorithm to the congestion coefficient route choice strategy as well as the exponential function route choice strategy, and carried out simulations on Manhattan-like urban traffic network with traffic lights [10]. The effects of different traffic light rules under a variety of route choice strategies were also investigated. Recently, we proposed

*Corresponding author: Bo-Kui Chen, School of Computing, National University of Singapore, Singapore, E-mail: chenssx@qq.com

Received August 04, 2016; Accepted August 06, 2016; Published August 13, 2016

Citation: Chen BK, Gao YC, Li WT (2016) Route Choice Strategy in Traffic Network and Routing Strategy in Communication Network. Adv Tech Biol Med 4: 186. doi: 10.4172/2379-1764.1000186

Copyright: © 2016 Chen BK, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Page 2 of 2

	Traffic networks	Communication networks
Nature	Static Network	Dynamic Network
Size	Intersections are less than 10 thousand	Nodes are more than one hundred million
Strategy	 Vehicle: Size, Speed, location Road: One-lane, multi-lane, beltway Human 	 Degree of node Delivering capability of node Number of packets on a node

Table 1: The differences between traffic networks and communication networks.

a global route algorithm based on the global traffic data. The results indicate that compared to local algorithms, the global algorithm can not only increase the critical density and the average flow, but also bring in more homogeneous distribution of vehicles. There- fore, global algorithm based route choice strategies with the global traffic data have dominant advantages in practical applications, as the static and modest size of traffic network leading to finite size of traffic data.

Routing Strategy in Communication Networks

Routing strategies in communication networks can be classified into two types according to whether the information they used is local or global. The former called local routing strategy, consisting of local static routing strategy [11], local dynamic routing strategy [12], and pheromone routing strategy [13]. The routing strategy based on the global information is called the global routing strategy, including the shortest path strategy, the efficient routing strategy [14] and the global dynamic routing strategy [15]. Although results have shown that compared to the local routing strategies, the global routing strategies can significantly enhance the critical generation rate of information packets and reduce the average transmission time, they are beyond practical application considering the high searching cost for global information due to the huge size of communication networks whose nodes are growing exponentially with time. Thus the research of this field is mainly focus on local routing strategies.

Lin et al. recently proposed three algorithms for local routing strategies, i.e., the node duplication avoidance algorithm, the nextnearest-neighbor algorithm, and the restrictive queue length algorithm [16]. Each of them is an improved version based on the previous one. These algorithms all can increase the critical generation rate of information packets and decrease the average trans- mission time, especially the last one. After applying the restrictive queue length algorithm to the local routing strategies, the critical generation rate of information packets Rc increases by over 10 times and the average transmission time h*T* idecreases by 70-90 percent.

Conclusion

The routing strategies in traffic network and communication network are discussed in this paper. The connections and differences between them are discussed, and route strategies and algorithms for the two networks are reviewed respectively. The global strategies behave better than the local strategies in both networks. However, due to the huge size of communication network, the local routing strategy is more practical. On the other hand, the size of the traffic network is not as prohibitively large as that of communication network, and its structure does not change in a long period, which could enable the possible application of global route choice strategy.

Acknowledgement

This work was supported by Singapore Ministry of Education Research Grant (Grant No.: MOE 2013-T2-2-033).

References

- Wahle J, Bazzan ALC, Klu"gl F, Schreckenberg M (2000) Decision dynamics in a traffic scenario. Physica A 287: 669-681.
- Lee K, Hui PM, Wang BH, Johnson NF (2001) Effects of announcing global information in a two-route traffic flow model. Journal of the Physical Society of Japan 70: 3507-3510.
- Wang WX, Wang BH, Zheng WC, Yin CY, Zhou T (2005) Advanced information feedback in intelligent traffic systems. Physical Review E 72: 066702.
- Chen BK, Sun XY, Wei H, Dong CF, Wang BH (2011) Piece-wise function feedback strategy in intelligent traffic systems with a speed limit bottleneck. International Journal of Modern Physics C 22: 849-860.
- Chen BK, Xie YB, Tong W, Dong CF, Shi DM, et al. (2012) A comprehensive study of advanced information feed-backs in real-time intelligent traffic systems. Physica A 391: 2730-2739.
- Chen BK, Tong W, Zhang WY, Sun XY, Wang BH (2012) Flux information feedback strategy in intelligent traffic systems. EPL 97: 14001.
- Chen BK, Dong CF, Liu YK, Tong W, Zhang WY, et al. (2012) Real-time information feedback based on a sharp decay weighted function. Computer Physics Communications 183: 2081-2088.
- Li WT, Li JQ, Chen BK, Huang X, Wang W (2016) Information feedback strategy for beltways in intelligent transportation systems. EPL 113: 64001.
- Li M, Ding ZJ, Jiang R, Hu MB, Wang BH (2011) Traffic flow in a Manhattan-like urban system. CICTP 2012: 383-392.
- Chen BK, Wang DZW, Gao YZ, Zhang K, Miao LX, et al. (2016) Effects of traffic lights for Manhattan-like urban traffic network in intelligent transportation systems. Transportmetrica B: Transport Dynamics.
- Wang WX, Wang BH, Yin CY, Xie YB, Zhou T (2006) Traffic dynamics based on local routing protocol on a scale-free network. Physical Review E 73: 026111.
- 12. Wang WX, Yin CY, Yan G (2006) Integrating local static and dynamic information for routing traffic. Physical Review E 74: 016101.
- Ling X, Hu MB, Jiang R (2009) Pheromone routing protocol on a scale-free network. Physical Review E 80: 066110.
- Yan G, Zhou T, Hu B, Fu ZQ, Wang BH (2006) Efficient routing on complex networks. Physical Review E 73: 046108.
- Ling X, Hu MB, Jiang R, Wu QS (2010) Global dynamical routing for scale-free networks. Physical Review E 81: 016113.
- Lin BC, Chen BK, Gao YC, Tse CK, Dong CF, et al. (2016) Advanced algorithms for local routing strategy on complex networks. PLoS ONE 11: e0156756.