

Mini Review: Presence of Cytoplasmic Organelle Chromatoid Body in Class Insecta

Kaio Cesar Chaboli Alevi*, Nayara Fernanda da Costa Castro and Maria Tercilia Vilela de Azeredo Oliveira

Laboratory of Cell Biology, Department of Biology, Institute of Biosciences, Humanities and the Exact Sciences, Sao Paulo State University – Júlio de Mesquita Filho (UNESP/IBILCE), Sao Jose do Rio Preto, Sao Paulo, Brazil

Abstract

In the present work we made a review on the cytoplasmic organelle chromatoid body (CB) in the Insecta class. We note that the CB has been described in 14 orders of insects. However, we emphasize the importance of new orders should be analyzed, since the detailed knowledge of the reproductive biology of insects may help in understanding taxonomic, evolutionary and mainly contribute to the development of tools that minimize the populations of vectors and insect pests, contributing directly to human welfare.

Keywords: Nuage; oogenesis; spermiogenesis

Mini Review

The Insecta class comprises approximately 1.000.000 species distributed in 32 orders [1]. These organisms are generally characterized by three body parts (head, thorax and abdomen) and six locomotory appendages attached to the thorax.

All general aspects – biology, ecology, genetics, cytogenetics, morphology, evolution, reproduction, among others – are widely studied in the Insecta class, since the knowledge of these organisms are of great importance, especially in public health, where they act as vectors, and the economy, where they act as agricultural pests [2,3].

In 1907, was first described in the Insecta class the chromatoid body (CB) [4]. The CB or “nuage” is a cytoplasmic organelle present in germ cells, which possibly assists in post-transcriptional control of gene products in germ cells, since it consists principally by RNA and proteins [5-7].

In females, it is believed that CB is the precursor of the yolk during oogenesis [8]. In males, it is believed that this organelle has a fundamental role in spermiogenesis, such as cellular communication between spermatids [9-11], and aid in the formation of the sperm acrosome [6,9,10,12].

According to the importance of CB gametogenesis in insects, we grouped all orders and species with CB described in the literature. Among the 32 orders of insects described, we found that the CB was described in 14 (Table 1). However, we note that the number of

| | | |
|--------------------|---|------|
| | <i>Drosophila melanogaster</i> | [16] |
| Hemiptera | | |
| | <i>Aspidiotus hederae</i> | [17] |
| | <i>Belostoma (Zaitha) fluminea</i> | [18] |
| | <i>Caenus delius</i> | [19] |
| | <i>Chariesterus armatus</i> | [20] |
| | <i>Diceroprocta biconica</i> | [21] |
| | <i>Gerris marginatus</i> | [22] |
| | <i>Gerris remigis</i> | [22] |
| | <i>Pentatoma (Chlorochroa) juniperina</i> | [19] |
| | <i>Pentatoma (Rhytdolomia) senilis</i> | [19] |
| | <i>Podisus crocatus</i> | [19] |
| | <i>Triatoma infestans</i> | [23] |
| | <i>Triatoma sordida</i> | [23] |
| Hymenoptera | | |
| | <i>Melipona quadrifasciata</i> | [24] |
| | <i>Scaptotrigona postica</i> | [25] |
| | <i>Tenthredo olivacea</i> | [26] |
| Lepidoptera | | |
| | <i>Diatraea saccharalis</i> | [27] |
| | <i>Epehestia</i> sp. | [28] |

Table 1: Revision of Orders of Insect Class whit Chromatoid Body described.

| Species | References | |
|-------------------|------------------------------|------|
| Order | Scientific Nam | |
| Coleoptera | | |
| | <i>Chelymorpha cassidea</i> | [13] |
| | <i>Dytiscus</i> sp. | [04] |
| Dermaptera | | |
| | <i>Doru lineare</i> | [14] |
| | <i>Forficula auricularia</i> | [14] |
| Diptera | | |
| | <i>Dermatobia hominis</i> | [15] |

***Corresponding author:** Kaio Cesar Chaboli Alevi, Instituto de Biociências, Letras e Ciências Exatas, IBILCE – UNESP, Rua Cristóvão Colombo, 2265 Jardim Nazareth 15054-000 – São José do Rio Preto, SP – Brazil, Tel: (17) 32212380; E-mail: kaiochaboli@hotmail.com

Received August 06, 2013; **Accepted** September 24, 2013; **Published** October 01, 2013

Citation: Alevi KCC, da Costa Castro NF, de Azeredo Oliveira MTV (2013) Mini Review: Presence of Cytoplasmic Organelle Chromatoid Body in Class Insecta. Entomol Ornithol Herpetol 2: 109. doi:10.4172/2161-0983.1000109

Copyright: © 2013 Alevi KCC, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

| Species | | References |
|--------------|-------------------------------|------------|
| Order | Scientific Nam | |
| Mecoptera | | |
| | <i>Panorpa communis</i> | [29] |
| Megaloptera | | |
| | <i>Sialis flavilatera</i> | [29] |
| Orthoptera | | |
| | <i>Acrida lata</i> | [30] |
| | <i>Lutosa brasiliensis</i> | [31] |
| | <i>Nemobius sp.</i> | [32] |
| | <i>Rhomaleum mtrcropterum</i> | [33] |
| Plecoptera | | |
| | <i>Perla marginata</i> | [35] |
| Psocoptera | | |
| | <i>Cerastipsocus venosus</i> | [29] |
| Siphonaptera | | |
| | <i>Hystrichopsylla talpae</i> | [29] |
| Strepsiptera | | |
| | <i>Elenchus japonicus</i> | [36] |
| | <i>Elenchus tenuicornis</i> | [36] |
| Thysanura | | |
| | <i>Lepisma domestica</i> | [37] |
| | <i>Thermobia domestica</i> | [38] |

Table 2: Continuation.

species analyzed in some orders is very small and the works are quite old (Table 2).

Therefore, this mini review aimed to gather all the orders of insects with the cytoplasmic organelle CB described. Through the analysis of the tables, it is possible to note that new orders should be analyzed, since the detailed knowledge of the reproductive biology of insects may help in understanding taxonomic, evolutionary and mainly contribute to the development of tools that minimize the populations of vectors and insect pests, contributing directly to human welfare.

References

- Virgilio M, Backeljau T, Nevado B, De Meyer M (2010) Comparative performances of DNA barcoding across insect orders. BMC Bioinformatics 11: 206.
- Lounibos LP (2002) Invasions by insect vectors of human disease. Annu Rev Entomol 47: 233-266.
- Bianchi FJ, Booij CJ, Tscharntke T (2006) Sustainable pest regulation in agricultural landscapes: a review on landscape composition, biodiversity and natural pest control. Proc Biol Sci 273: 1715-1727.
- Schafer F (1907) Spermatogenese von Dytiscus. Ein Beitrag zur Frage der Chromatin reduction. Zool Jahrb Anat Abt 23: 535.
- Kotaja N, Sassone-Corsi P (2007) The chromatoid body: a germ-cell-specific RNA-processing centre. Nat Rev Mol Cell Biol 8: 85-90.
- Söderström KO, Parvinen M (1976) Transport of material between the nucleus, the chromatoid body and the Golgi complex in the early spermatids of the rat. Cell Tissue Res 168: 335-342.
- Saunders PT, Millar MR, Maguire SM, Sharpe RM (1992) Stage-specific expression of rat transition protein 2 mRNA and possible localization to the chromatoid body of step 7 spermatids by in situ hybridization using a nonradioactive riboprobe. Mol Reprod Dev 33: 385-391.
- Hopkins CR (1964) The histochemistry and fine structure of the accessory nuclei in the oocyte of *Bombus terrestris*. Q J Microsc Sci 105: 475-480.
- Ventelá S, Toppari J, Parvinen M (2003) Intercellular organelle traffic through cytoplasmic bridges in early spermatids of the rat: mechanisms of haploid gene product sharing. Mol Biol Cell 14: 2768-2780.
- Peruquetti RL, Assis IM, Taboga SR, de Azeredo-Oliveira MT (2008) Meiotic nucleolar cycle and chromatoid body formation during the rat (*Rattus norvegicus*) and mouse (*Mus musculus*) spermiogenesis. Micron 39: 419-425.
- Peruquetti RL, Taboga SR, de Azeredo-Oliveira MT (2010) Characterization of Mongolian gerbil chromatoid bodies and their correlation with nucleolar cycle during spermatogenesis. Reprod Domest Anim 45: 399-406.
- Tang XM, Lalli MF, Clermont Y (1982) A cytochemical study of the Golgi apparatus of the spermatid during spermiogenesis in the rat. Am J Anat 163: 283-294.
- Bowen RH (1924) Studies on insect spermatogenesis. Notes on the formation of the sperm in Coleoptera and Apterata, with a general discussion of flagellate sperms. J Morph 39: 351-414.
- Tworzydło W, Kisiel E (2010) Structure of ovaries and oogenesis in dermapterans. II. The nurse cells, nuage aggregates and sponge bodies. Folia Biol (Krakow) 58: 67-72.
- Quagio-Grassiotto I, Lello E (1995) Spindle membranes during spermatogenesis in *Dermatobia hominis* (Diptera Cuterebridae). J Submicrosc Cytol Pathol. 27: 467-475.
- Mahowald AP (1962) Fine structure of pole cells and polar granules in *Drosophila melanogaster*. J Exp Zool 151: 201-215.
- Ksiazkiewicz M (1980) Ultrastructure of the trophic chamber and nutritive cord of *Aspidiotus hederarum* (Homoptera, Coccoidea). Cell Tissue Res 213: 149-157.
- Chickering AM (1916) A preliminary study of the spermatogenesis of *Belostoma (Zaitha) Fluminea*. Trans Am Microsc Soc 35:72.
- Wilson EB (1913) A chromatoid body simulating an accessory chromosome in *Pentatoma*. Biol Bull 24: 392.
- Arakaki RL, Souza HV, Castanhole MM, Bicudo HE, Itoyama MM (2010) Cytogenetic evidence for de novo synthesis of rRNA and involvement of nucleolar material in the organization of cell structures during spermiogenesis of *Chariesterus armatus* (Heteroptera, Coreidae). Genet Mol Res 9: 1877-1885.
- Chawanji AS, Hodgson AN, Villet MH, Sanborn AF, Phillips PK (2007) Spermiogenesis in three species of cicadas (Hemiptera: Cicadidae). Acta Zoo 88: 337-348.
- Pollister AW (1930) Cytoplasmic phenomena in the spermatogenesis of *Gerris*. J Morph 49: 455.
- Silistino-Souza R, Peruquetti RL, Taboga SR, Vilela de Azeredo-Oliveira MT (2012) Chromatoid body: remnants of nucleolar proteins during spermatogenesis in triatomine (Heteroptera, Triatominae). Micron 43: 954-960.
- Cruz-Landim C (1991) Accessory nuclei in hymenopterian oocytes and the origin of the germ plasm: a study of *Melipona quadrifasciata anthidioides* Lep. (Hymenoptera, Apidae, Meliponinae) and *Atta sexdens rubropilosa* Forel (Hymenoptera, Formicidae, Attinae). Naturalia 16: 171-182.
- Staurengo da Cunha MA (1988) Ultrastructure of the oocytes of *Scaptotrigona postica* workers (Hymenoptera, Apidae). Naturalia 13: 103-115.
- Bilinski MS (1991) Are accessory nuclei involved in the establishment of developmental gradients in hymenopterian oocytes? Dev Biol 199: 423-426.
- Santos DC, Gregório EA (2006) Morphological aspects of cluster formation in the germarium of the sugarcane borer *Diatraea saccharalis* Fabricius (Lepidoptera: Pyralidae). Neotrop Entomol 35: 644-653.
- Guelin M (1994) [Activity of W-sex heterochromatin and accumulation of the nuage in nurse cells of the lepidopteran *Ephesia*]. C R Acad Sci III 317: 54-61.
- Büning J (1994) The ovary of Ectognatha, the Insecta s. str. In: The Insect Ovary. Chapman, Hall, London, pp 31-324.

30. Yasuzumi G, Sugioka T, Tsubo I, Yasuzumi F, Matano Y (1970) Spermatogenesis in animals as revealed by electron microscopy. XX. Relationship between chromatoid bodies and centriole adjunct in spermatids of grasshopper, *Acrida lata*. *Z Zellforsch Mikrosk Anat* 110: 231-242.
31. Jor P, Toledo S (1947) Breve notícia sobre a espermatogênese de *Lutosa brasiliensis* Brunner (Tettigoniodea-Stenopelmatidae). *An. Esc. Super. Agric. Luiz de Queiroz* 4: 203-208.
32. Gatenby JB, Tahmisian TN (1959) Centriole adjunct, centrioles, mitochondria, and ergastoplasm in orthopteran spermatogenesis. An electron microscope study. *Cellule* 60: 103.
33. Plough HH (1917) Cytoplasmic structures in the male germ cells of *Rhomaleum micropterum* Beauv. *Biol Bull* 32:1.
34. Long ME (1940) Study of a nuclear and cytoplasmic relation in *Scyllina cyathipes*. *J. Morph* 67: 567.
35. Rosciszewska E, Soldan T (1999) Morphology of accessory ovaries in adult males of *Perla marginata* (Plecoptera: Perlidae). *Eur J Entomol* 96: 45-51.
36. Carcupino M, Kathirithamby J, Mazzino M (1998) Testis morphology and spermatogenesis in two species of *Elenchus* (Strepsiptera: Elenchidae). *Int J Insect Morph Embr* 27: 9-19.
37. Bowen RH (1924) Studies on insect spermatogenesis. VI. Notes on the formation of the sperm in Coleoptera and Aptera, with a general discussion of flagellate sperms. *J Morphol* 39: 351.
38. Klag J (1977) Differentiation of primordial germ cells in the embryonic development of *Thermobia domestica*, Pack. (Thysanura): an ultrastructural study. *J Embryol Exp Morphol* 38: 93-114.