Species Composition and Relative Abundance of Stored Maize Insect Pests in Selected Districts of Kellem Wollega and West Wollega Zones of Western Ethiopia

Adugna Gindaba^{1*}, Mulugeta Negeri²

¹Department of Biology, College of Natural and Computational Sciences, Dambi Dollo University, Dambi Dollo, Ethiopia; ²Department of Plant Science, College of Agriculture and Veterinary Sciences, Ambo University, Ambo, Ethiopia

Correspondence to: Adugna Gindaba, Department of Biology, College of Natural and Computational Sciences, Dambi Dollo University, Dambi Dollo, Ethiopia; E-mail: fenet.adugna@gmail.com Received: 23-Oct-2022, Manuscript No. EOHCR-22-19809; Editor assigned: 25-Oct-2022, PreQC No. EOHCR-22-19809 (PQ); Reviewed: 08-Nov-2022, QC No. EOHCR-22-19809; Revised: 28-Jan-2023, Manuscript No. EOHCR-22-19809 (R); Published: 01-Feb-2023, DOI: 10.35248/2161-0983.23.12.303

Citation: Gindaba A, Negeri M (2023) Species Composition and Relative Abundance of Stored Maize Insect Pests in Selected Districts of Kellem Wollega and West Wollega Zones of Western Ethiopia. Entomol Ornithol Herpetol. 12.300.

Copyright: © 2023 Gindaba A, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

SUPPLEMENTARY FILE



Figure 1: Sitophilus zeamais.



Figure 2: Sitophilus oryzae.



Figure 3: Sitotroga cerealella.



Figure 4: Cryptolestes ferrugineus.



Figure 5: Tribolium castaneum.