

Aggregating Loss to Follow-Up Behavior in People Living with HIV on ART: A Cluster Analysis Using Unsupervised Machine Learning Algorithm in R

Amobi Andrew Onovo^{1,3*}, Abiye Kalaiwo², Christopher Obanubi³

¹Department of Epidemiology, Institute of Global Health, University of Geneva, Switzerland; ²Office of HIV AIDS, U.S. Agency for International Development, Nigeria; ³Centers for Disease Control and Prevention, Abuja, Nigeria

Correspondence to: Amobi Andrew Onovo, Department of Epidemiology, Institute of Global Health, University of Geneva, Switzerland, Tel: +1-240-200-2025; E-mail: amobiandrewonovo@gmail.com


Received: 17-Aug-2023, Manuscript No. HICR-23-26132; **Editor assigned:** 19-Aug-2023, PreQC No. HICR-23-26132 (PQ);

Reviewed: 02-Sep-2023, QC No. HICR-23-26132; **Revised:** 16-Jan-2025, Manuscript No. HICR-23-26132 (R); **Published:** 23-Jan-2025, DOI: 10.35248/2572-0805.25.10.425



Citation: Onovo AA, Kalaiwo A, Obanubi C (2025) Aggregating Loss to Follow-Up Behavior in People Living With HIV on ART: A Cluster Analysis Using Unsupervised Machine Learning Algorithm in R. HIV Curr Res. 10.425.

Copyright: © 2025 Onovo AA, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.


ANNEXURE



Annex 1: Study regions and state.



Annex 2: (a): Bar chart showing the distribution of ART status among PLHIV; (b): Line chart showing declining trends of LTFU among PLHIV overtime.



Annex 3: States contributing 80% of the PLHIV burden in the study location (Spectrum Estimates, January 2020).